



SPEEDTECH LIGHTS®
LIGHTING THE WAY®



2021 CATALOG
WWW.SPEEDTECHLIGHTS.COM

TABLE OF CONTENTS

- 3 ABOUT
- 4 PRODUCT FEATURES
- 6 VISOR LIGHT BARS
- 8 DECK/DASH LIGHTS
- 10 TRAFFIC ADVISORS
- 12 GRILLE/SURFACE MOUNTS
- 15 HIDEAWAY/SURFACE MOUNTS
- 16 RUNNING BOARD LIGHTS
- 17 BEACONS
- 18 MINI LIGHT BARS
- 20 FULL LIGHT BARS
- 23 TOW LIGHT BARS
- 24 OFF ROAD/WORK LIGHTS
- 30 SIRENS
- 32 SPEAKERS
- 33 FLASHLIGHTS
- 34 ROADSIDE SAFETY
- 36 SWITCH BOXES
- 40 MOUNTING BRACKETS
- 46 LIGHT BAR TOP COVERS
- 47 WEBSITE FEATURES



OUR MISSION:

To ensure the safety of first responders, public safety professionals, and the general public by providing reliable and affordable warning lights and equipment, delivered fast with the highest level of service.

OUR PURPOSE:

SpeedTech Lights was founded for the purpose of bringing easy access to high-quality and affordable emergency vehicle lighting and equipment.


Based in Buda, Texas, our goal is to provide safety and eliminate risks while on the job with bright, effective lighting. We carry a wide variety of warning lights and sirens as well as a large selection of off-road and scene lighting, all utilizing advanced LED lighting technology and innovative designs for many applications.

We make sure high-quality warning lights and equipment are accessible to any department, any company, any business, large or small, and ensure it gets to you fast. Here at SpeedTech Lights, we work hard, we work smart, we work together, we love what we do, and we highly respect our customers. No matter who you are... when you come to SpeedTech Lights, you are always our most important customer.

Thank you to all of our every day heroes for your service.




STL ECLIPSE[®] OPTIC TECHNOLOGY



ECLIPSE[®] TIR OPTICS:

TIR Optics produce a highly concentrated beam of light for each individual LED creating a layering of light output as a result. This allows the TIR Optics to offer performance with fewer LEDs per module & a more precise focal output.




Specs:

- 70° horizontal spread
- 20° vertical spread

ECLIPSE[®] LINEAR OPTICS:

Linear Optics produce a wide broad beam of light for each LED module. With powerful magnification, Linear Optics create ultra-wide light dispersal, allowing for greater off-axis visibility.



Specs:

- 110° horizontal spread
- 20° vertical spread

AVAILABLE CARBINE OPTICS



FLOODLIGHT OPTICS



Floodlight Optics provide a wide spread of light to better illuminate nearby areas.


HYBRID OPTICS



Hybrid Optics are comprised of both Floodlight & Spotlight Optics, providing a balance between further visibility & wide light spread.

STL MULTICOLOR LINEAR

All STL Linear products now come equipped with **MULTICOLOR** technology which features specialized flash patterns using dual color LED modules. These include **alternating color flash patterns**, specially designed for **MULTICOLOR** products, along with a few **single color flash patterns** of both primary & secondary LED colors. This lets you run more appropriate colors for different applications.



OPTIONAL TIR UPGRADES



SUPER TAKE DOWN[®]



The Super Take Down upgrade converts all forward facing LED modules into MultiColor LED modules. This upgrade retains your Light Bar's warning colors in warning mode & activates steady burn Clear in Super Take Down mode.

MULTICOLOR TIR TRAFFIC ADVISOR



The MultiColor TIR Traffic Advisor upgrade converts all TIR Traffic Advisor LED modules into MultiColor modules. This upgrade retains your Light Bar's warning colors in warning mode & activates Amber in Traffic Advisor mode.

STL RAPTOR-X TIR

SKU B-RTX8

DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 32 3-Watt LEDs
- 26 warning flash patterns
- Built-in windshield reflector visor
- Optional Cigarette Plug with Control Switches (p. 39)



STL RAPTOR TIR

SKU B-RT10 / B-RTSTD10

DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 26 warning flash patterns
- Take down light functionality
- Built-in windshield reflector visor
- Optional STL Grand Control Switch Box (p. 38)



STL ARC VISOR TIR

SKU B-AV2

DIMENSIONS 11" L x 4.75" H x 1" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 40 MaxGen LEDs
- 24 warning flash patterns
- Includes velcro straps for mounting to sun visor
- Power & flash pattern controls on unit
- Includes Cigarette Plug



STL MULTICOLOR RAPTOR-X LINEAR

SKU B-RLXMC8

DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 64 3-Watt LEDs
- 36 warning flash patterns
- Built-in windshield reflector visor
- Optional Cigarette Plug with Control Switches (p. 39)



STL MULTICOLOR RAPTOR LINEAR


SKU B-RLMC10

DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D


AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 72 3-Watt LEDs
- 36 warning flash patterns
- Take down light functionality
- Built-in windshield reflector visor
- Optional STL Grand Control Switch Box (p. 38)




STL STRIKER-1 TIR

SKU B-STT1
 DIMENSIONS 4.1" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES

- Eclipse TIR optics
- 4 3-Watt LEDs
- 22 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)




STL STRIKER-2 TIR

SKU B-STT2
 DIMENSIONS 8.25" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES


- Eclipse TIR optics
- 8 3-Watt LEDs
- 24 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)




STL STRIKER-4 TIR

SKU B-STT4
 DIMENSIONS 16.25" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES


- Eclipse TIR optics
- 16 3-Watt LEDs
- 26 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)




STL MULTICOLOR VIRTUE-1 LINEAR

SKU B-VLMC1
 DIMENSIONS 4.1" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES

- Eclipse Linear optics
- 10 3-Watt LEDs
- 24 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)




STL MULTICOLOR VIRTUE-2 LINEAR

SKU B-VLMC2
 DIMENSIONS 8.25" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES


- Eclipse Linear optics
- 20 3-Watt LEDs
- 34 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)



STL MULTICOLOR VIRTUE-4 LINEAR

SKU B-VLMC4
 DIMENSIONS 16.25" L x 1.25" H x 2.25" D
 AVAILABLE COLORS 
 FEATURES

- Eclipse Linear optics
- 40 3-Watt LEDs
- 34 warning flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional Cigarette Plug with Control Switches (p. 39)



STL STRIKER-6 TIR

SKU D-STT6 / D-STTMC6

DIMENSIONS 24.9" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 26 warning flash patterns
- 9 directional flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional STL Direct Control Switch Box (p. 38)



STL STRIKER-8 TIR

SKU D-STT8 / D-STTMC8

DIMENSIONS 33.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 32 3-Watt LEDs
- 26 warning flash patterns
- 9 directional flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional STL Direct Control Switch Box (p. 38)



STL DART TIR


SKU D-DRT16

DIMENSIONS 33" L x 16" H x 3" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 64 3-Watt LEDs
- 29 warning flash patterns
- 8 directional flash patterns
- Optional STL Direct Control Switch Box (p. 38)



STL MULTICOLOR VIRTUE-6 LINEAR

SKU D-VLMC6

DIMENSIONS 24.9" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 60 3-Watt LEDs
- 36 warning flash patterns
- 9 directional flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional STL Direct Control Switch Box (p. 38)



STL MULTICOLOR VIRTUE-8 LINEAR

SKU D-VLMC8

DIMENSIONS 33.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 80 3-Watt LEDs
- 36 warning flash patterns
- 9 directional flash patterns
- Optional Windshield Reflector Visor (p. 42)
- Optional STL Direct Control Switch Box (p. 38)



STL Z-3 TIR


SKU G-TZT3

DIMENSIONS 3.7" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 3 3-Watt LEDs
- 22 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL Z-4 TIR

SKU G-TZT4

DIMENSIONS 4.4" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 4 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL Z-6 TIR

SKU G-TZT6 / G-TZTSTD6

DIMENSIONS 5.7" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



OPTIONAL UPGRADE
SUPER TAKE DOWN 

STL ZX-180 TIR

SKU G-ZXT180

DIMENSIONS 4.6" L x 1.45" H x 1.5" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL MULTICOLOR Z-6 LINEAR


SKU G-LZMC6

DIMENSIONS 3.7" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL MULTICOLOR Z-8 LINEAR


SKU G-LZMC8

DIMENSIONS 4.4" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 8 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL MULTICOLOR Z-12 LINEAR


SKU G-LZMC12

DIMENSIONS 5.7" L x 1.6" H x .6" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 12 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL MULTICOLOR ZX-180 LINEAR

SKU G-ZXLMC180

DIMENSIONS 4.6" L x 1.45" H x 1.5" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 8 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL HALF OCTO TIR


SKU G-HOT4

DIMENSIONS 7.4" L x 2.1" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 12 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL ALPHA-Z 7X3 TIR


SKU G-A7X3

DIMENSIONS 7.6" L x 3.6" H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 12 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL ALPHA-Z 6X4 TIR


SKU G-A6X4

DIMENSIONS 7.1" L x 4.6" H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 18 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL ALPHA-Z 7X9 TIR


SKU G-A7X9

DIMENSIONS 9.25" L x 7.75" H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 30 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL ALPHA-Z SERIES LENS COVER

SKU P-A7X3LENS / P-A6X4LENS / P-A7X9LENS

AVAILABLE COLORS

FEATURES

- Colored lens cover for the STL Alpha-Z Series
- Replaces default clear lens cover
- Available for all Alpha-Z Series units



STL FLARE-X

SKU K-FX1

DIMENSIONS 1.06" Base Diameter x 1" Height

AVAILABLE COLORS

FEATURES

- Steady burn function
- 1 3-Watt LED
- Weatherproof housing



STL FLARE-6 360°

SKU K-F6360

DIMENSIONS 1.6" Base Diameter x 1" Height

AVAILABLE COLORS

FEATURES

- 6 optics in 360° configuration
- 6 3-Watt LEDs
- 32 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL FLARE-12

SKU K-F12

DIMENSIONS 1.5" Base Diameter x .75" Height

AVAILABLE COLORS

FEATURES

- 12 3-Watt LEDs
- 32 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



STL CEPTOR-X TIR

SKU B-CTX4 / B-CTXSTD4

DIMENSIONS 60" L x 1.1" H x 2" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 48 3-Watt LEDs
- 26 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing
- Optional STL Grand Control Switch Box (p. 38)



STL CEPTOR TIR



SKU B-CT6 / B-CTSTD6

DIMENSIONS 60" L x 1.1" H x 2" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 72 3-Watt LEDs
- 26 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing
- Optional STL Grand Control Switch Box (p. 38)



STL OCTO TIR

SKU M-OT8

DIMENSIONS 6" Base Diameter x 3" Height

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 30 warning flash patterns
- Weatherproof housing
- Includes magnetic base for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



STL K-FORCE MICRO 14 TIR

SKU M-TKFM14

DIMENSIONS 13.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 30 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



STL K-FORCE MICRO 21 TIR

SKU M-TKFM21

DIMENSIONS 22.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



STL K-FORCE 18 TIR

SKU M-TKF18

DIMENSIONS 18.1" L x 2.9"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



STL K-FORCE 27 TIR

SKU M-TKF27

DIMENSIONS 27.4" L x 2.9"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 56 3-Watt LEDs
- 30 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE MICRO 14 LINEAR

SKU M-LKFMMC14

DIMENSIONS 13.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 60 3-Watt LEDs
- 40 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



STL MULTICOLOR K-FORCE MICRO 21 LINEAR

SKU M-LKFMMC21

DIMENSIONS 22.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 100 3-Watt LEDs
- 40 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE 18 LINEAR

SKU M-LKFMC18

DIMENSIONS 18.1" L x 2.9"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 100 3-Watt LEDs
- 40 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



STL MULTICOLOR K-FORCE 27 LINEAR

SKU M-LKFMC27

DIMENSIONS 27.4" L x 2.9"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 140 3-Watt LEDs
- 40 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



STL K-FORCE MICRO 50 TIR

SKU F-TKFM50

DIMENSIONS 49.1" L x 3.6"H x 5.5" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 36 TIR

SKU F-TKF36

DIMENSIONS 36.6" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 72 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 47 TIR

SKU F-TKF47 / F-TKFSTD47

DIMENSIONS 45.9" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 55 TIR

SKU F-TKF55

DIMENSIONS 55.1" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE MICRO 50 LINEAR

SKU F-LKFMMC50

DIMENSIONS 49.1" L x 3.6"H x 5.5" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 196 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE 36 LINEAR

SKU F-LKFMC36

DIMENSIONS 36.6" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 156 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE 47 LINEAR

SKU F-LKFMC47

DIMENSIONS 45.9" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 196 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL MULTICOLOR K-FORCE 55 LINEAR

SKU F-LKFMC55

DIMENSIONS 55.1" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 236 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 65 TIR

SKU F-TKF63

DIMENSIONS 64.4" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 75 TIR

SKU F-TKF71

DIMENSIONS 73.6" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 136 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE MICRO 50 TIR Tow

SKU F-TKFMTO50

DIMENSIONS 49.1" L x 3.6"H x 5.5" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 55 TIR Tow

SKU F-TKFTOW55

DIMENSIONS 55.1" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL K-FORCE 65 TIR Tow

SKU F-TKFTOW63

DIMENSIONS 64.4" L x 3.6"H x 11.4" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



STL CARBINE 10"

SKU W-C10F / W-C10H
DIMENSIONS 10" L x 2" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 9 3-Watt LEDs
- 3,780 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL DUAL CARBINE 20"

SKU W-DC20F / W-DC20H
DIMENSIONS 22" L x 3.5" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 40 1.5-Watt LEDs
- 7,600 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL CARBINE 20"

SKU W-C20F / W-C20H
DIMENSIONS 20.8" L x 2" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 21 3-Watt LEDs
- 8,820 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL DUAL CARBINE 30"

SKU W-DC30F / W-DC30H
DIMENSIONS 32" L x 3.5" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 60 1.5-Watt LEDs
- 11,880 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL DUAL CARBINE 7"

SKU W-DC7F / W-DC7H
DIMENSIONS 8" L x 3.5" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 12 1.5-Watt LEDs
- 2,280 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL DUAL CARBINE 50"

SKU W-DC50F / W-DC50H
DIMENSIONS 50" L x 3.5" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 96 1.5-Watt LEDs
- 18,240 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL DUAL CARBINE 13"

SKU W-DC13F / W-DC13H
DIMENSIONS 14" L x 3.5" H x 2.2" D
AVAILABLE COLORS

FEATURES

- Steady burn function
- 24 1.5-Watt LEDs
- 4,560 Lumens
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



STL CARBINE 12V RELAY

SKU P-12RELAY

FEATURES

- 12V relay harness
- 1 on/off switch rated for 60 amps
- Compatible with STL Carbine Series
- Optional Wireless Remote features flashing capability



STL CARBINE 140°

SKU W-C140CC

DIMENSIONS 3.6" L x 3" H x 2.75" D

AVAILABLE COLORS

FEATURES

- Steady burn function
- 15 1.5-Watt LEDs
- 2,850 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
SPOTLIGHT

STL QUAD CARBINE

SKU W-QC9F / W-QC9H

DIMENSIONS 3.75" L x 4.3" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Steady burn function
- 9 3-Watt LEDs
- 1,980 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL QUAD CARBINE-16

SKU W-QC16F / W-QC16S

DIMENSIONS 4.25" L x 5" H x 1.6" D

AVAILABLE COLORS

FEATURES

- Steady burn function
- 16 1.5-Watt LEDs
- 3,040 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT
SPOTLIGHT

STL QUAD CARBINE-18

SKU W-QCF18

DIMENSIONS 3.8" L x 4" H x 1.75" D

AVAILABLE COLORS

FEATURES

- Steady burn & warning functions
- 18 total LEDs:
 - ◊ 9 1-Watt warning LEDs (in Amber color)
 - ◊ 9 5-Watt steady burn LEDs (in Clear color)
- 3,984 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE 140° WARNING

SKU W-C140

DIMENSIONS 3.6" L x 3" H x 2.75" D

AVAILABLE COLORS

FEATURES

- Steady burn & warning functions
- 10 total LEDs:
 - ◊ 6 1.5-Watt side warning LEDs (in selected color)
 - ◊ 4 1.5-Watt center steady burn LEDs (in Clear color)
- 2,400 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CIRCLE CARBINE

SKU W-CC7F / W-CC7H

DIMENSIONS 3.8" L x 4.6" H x 2.3" D

AVAILABLE COLORS

FEATURES

- Steady burn function
- 7 3-Watt LEDs
- 1,540 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL CIRCLE CARBINE-14

SKU W-CC14F / W-CC14H

DIMENSIONS 6.4" L x 7.2" H x 1.7" D

AVAILABLE COLORS

FEATURES

- Steady burn function
- 14 3-Watt LEDs
- 3,080 Lumens
- Steady burn function
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL CIRCLE CARBINE-18

SKU W-CCF18

DIMENSIONS 4.25" L x 4.25" H x 1.75" D

AVAILABLE COLORS

FEATURES

- Steady burn & warning functions
- 18 total LEDs:
 - ◊ 9 1-Watt warning LEDs (in Amber color)
 - ◊ 9 5-Watt steady burn LEDs (in Clear color)
- 4,054 Lumens
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CUBE CARBINE FLUSH MOUNT

- SKU W-CUCFF
 DIMENSIONS 4.8" L x 3.6" H x 3.1" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 6 3-Watt LEDs
 - 1,620 Lumens
 - Weatherproof housing



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL Hex CARBINE FLUSH MOUNT

- SKU W-HCFF
 DIMENSIONS 6.2" L x 3.3" H x 1.1" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 6 3-Watt LEDs
 - 1,620 Lumens
 - Weatherproof housing



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE-Z FLUSH MOUNT


- SKU W-CZFF
 DIMENSIONS 7.6" L x 2.4" H x 1.8" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 6 3-Watt LEDs
 - 1,620 Lumens
 - Weatherproof housing



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE ANGLE SURFACE MOUNT

- SKU W-CASM
 DIMENSIONS 5.9" L x 1.85" H x 1.6" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 52 1-Watt LEDs
 - 2,296 Lumens
 - Weatherproof housing



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CIRCLE CARBINE FLUSH MOUNT

- SKU W-CCFF
 DIMENSIONS 4.7" L x 4.7" H x 2.1" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 6 3-Watt LEDs
 - 1,620 Lumens
 - Weatherproof housing



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE-X MINI

- SKU W-CXF
 DIMENSIONS 3.6" L x 2.6" H x .8" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 33 LEDs
 - 726 Lumens
 - Weatherproof housing
 - Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL MICRO CARBINE

- SKU W-MC3
 DIMENSIONS 3" L x 1.75" H x .8" D
 AVAILABLE COLORS
 FEATURES
- Steady burn function
 - 3 3-Watt / 5-Watt LEDs (Watts based on color)
 - 810 / 1,260 Lumens (Lumens based on color)
 - Weatherproof housing
 - Includes flat & curved rubber bases for mounting



STL CARBINE SERIES LENS COVER

- AVAILABLE COLORS
 FEATURES
- Colored lens cover
 - Snaps over front of unit
 - Available models:
 - ◊ P-CLENS: for STL Circle Carbine
 - ◊ P-QCLENS: for STL Quad Carbine
 - ◊ P-DCLENS: for STL Dual Carbine Series



STL FURY

SKU S-FMS30

DIMENSIONS 5" L x 5.25" H x 5.5" D

FEATURES

- 30-Watt amplifier/speaker output
- Combined all-in-one siren & speaker unit
- Clear sound frequency
- Warning tone function
- Tones include:
 - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
 - ◊ Horn: High, Low
- Weatherproof housing
- Includes L-bracket for mounting unit
- Optional STL Moto-4 Switch Box (p. 39)



STL VIREO

SKU S-VR100

CONTROLLER DIMENSIONS 2.5" L x 4.9" H x .8" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- 100-Watt amplifier output
- PA & warning tone functions
- Tones include:
 - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
 - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Handheld controller with built in microphone



STL PA

SKU S-HPA100

DIMENSIONS 5.5" L x 1.75" H x 3.25" D

FEATURES

- 100-Watt amplifier output
- Combined amplifier & controller unit
- PA & horn tone functions
- Horn tones include: High, Low
- Includes microphone



STL APEX

SKU S-AP100

CONTROLLER DIMENSIONS 5.75" L x 3.25" H x 1.4" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- 100-Watt amplifier output
- PA & warning tone functions
- Tones include:
 - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
 - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Includes microphone



STL MEGA

SKU S-MG100

DIMENSIONS 5.5" L x 1.75" H x 3.25" D

FEATURES

- 100-Watt amplifier output
- Combined amplifier & controller unit
- PA & warning tone functions
- Tones include:
 - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
 - ◊ Horn: High, Low
- Includes microphone



STL BOSS

SKU S-BDT200

CONTROLLER DIMENSIONS 5.4" L x 2.5" H x 1.5" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- 200-Watt amplifier output (for 2 100-Watt speakers)
- PA & warning tone functions
- Tones include:
 - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
 - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Functions as 200-Watt 'Dual Tone' siren with 2 speakers (or as 100-Watt single tone siren with 1 speaker)
- 'Dual Tone' function enables independent siren tones to output from each speaker
- Includes microphone



STL ICON SILVER 100-WATT SPEAKER

SKU A-IS100

DIMENSIONS 6.4" L x 6.9" H x 2.25" D

FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Compact design
- Silver finish
- Weatherproof housing
- Includes rotating bracket for mounting



STL ICON BLACK 100-WATT SPEAKER

SKU A-IB100

DIMENSIONS 6.4" L x 6.9" H x 2.25" D

FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Compact design
- Black finish
- Weatherproof housing
- Includes rotating bracket for mounting



STL 100-WATT CONE SPEAKER

SKU A-C100

DIMENSIONS 6.4" L x 4.6" H x 7.4" D

FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Weatherproof housing
- Includes flat bracket for mounting



STL VIBE LOW FREQUENCY

SKU S-VLF

SPEAKER DIMENSIONS 8" Length x 7" Diameter

AMPLIFIER DIMENSIONS 5.25" L x 1.5" H x 6.3" D

FEATURES

- 100-Watt speaker output
- 100-Watt amplifier output
- Low sound frequency generates tactile vibrations
- Weatherproof housing
- Includes bracket for mounting



WWW.SPEEDTECHLIGHTS.COM

STL RETRACTABLE FOCUS-BEAM

SKU J-RFB80

DIMENSIONS 4.4" Extended (4.1" Retracted) Length x 1.15" Lamp (1" Handle) Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 80 Lumens
- Adjustable Focus
- On/off push button also toggles modes
- Modes: High, Low, Strobe
- Water resistant: IP44
- Shockproof: Up to 3 feet
- Weight: 2.7 ounces
- Includes 1 AA battery



STL FOCAL-BEAM

SKU J-FB700

DIMENSIONS 5" Length x 1.25" Lamp (1" Handle) Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 700 Lumens
- On/off push button also toggles modes
- Modes: High, Low, Strobe, SOS (hold button for SOS)
- Water resistant: IP44
- Shockproof: Up to 3 feet
- Weight: 4 ounces
- Battery life: High mode -> 2 hours, Low mode -> 7 hours
- Includes rechargeable Li-ion 18650 battery
- Includes micro USB charger with charge status indicator



STL TRIGGER-BEAM

SKU J-TB220

DIMENSIONS 5.7" Length x 1.35" Lamp (1" Handle) Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 220 Lumens
- On/off push button also toggles modes
- Modes: High, Low, Strobe
- Waterproof: IP68
- Shockproof: Up to 5 feet
- Weight: 4.6 ounces
- Battery life: High mode -> 3 hours, Low mode -> 55 hours
- Includes rechargeable Li-ion 18650 battery
- Includes wall charger & car charger with charge status indicators



STL ALTER-BEAM

SKU J-AB800

DIMENSIONS 8.5" Full (6" Adjusted) Length x 1.5" Lamp (1" Handle) Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 800 Lumens
- Adjustable: Full 8.5" length or Adjusted 6" length
- On/off push button also toggles modes
- Modes: High, Medium, Low, Strobe, SOS
- Waterproof: IP68
- Shockproof: Up to 5 feet
- Weight: Full length -> 6.5 ounces, Adjusted length -> 5.3 ounces
- Full length battery life: High -> 3 hours, Medium -> 12 hours, Low -> 100 hours
- Adjusted length battery life: High -> 1.5 hours, Medium -> 6 hours, Low -> 50 hours
- Uses 123A batteries: 4 batteries in Full length, 2 batteries in Adjusted length (batteries sold separately)



1.800.757.2581

STL 20" COLLAPSIBLE TRAFFIC CONE

SKU CTC20

DIMENSIONS 9.6" Base x 9.6" Base x 19.3" Extended (1.5" Collapsed) Height

FEATURES

- 20" Collapsible Traffic Cone
- Made from polypropylene
- Weight: 1.05 pounds
- 2 Reflective strips at top of cone



STL 28" COLLAPSIBLE TRAFFIC CONE

SKU CTC28

DIMENSIONS 12" Base x 12" Base x 27.7" Extended (1.5" Collapsed) Height

FEATURES

- 28" Collapsible Traffic Cone
- Made from polypropylene
- Weight: 1.6 pounds
- 2 Reflective strips at top of cone



STL 3 PACK COLLAPSIBLE TRIANGULAR REFLECTORS

SKU CTT3

FEATURES

- Collapsible Triangular Traffic Safety Reflectors
- Made from polypropylene
- Weight: 1.05 pounds
- Includes carrying case
- Reflective finish



STL 3 PACK 15-LED ROAD FLARES

SKU BL-2000C-3P

DIMENSIONS PER ROAD FLARE UNIT 4.3" Diameter x 1.3" Height

AVAILABLE COLORS ■

FEATURES

- Red LED Road Flares
- 15 LEDs per Road Flare unit:
 - ◊ 12 Red LEDs for warning mode
 - ◊ 3 Clear LEDs for steady burn on top
- 8 warning flash patterns
- Includes AAA Batteries
- Waterproof, floatable, & durable
- Magnetic base for mounting
- Power & flash pattern controls located on Road Flare units



STL 6 PACK 16-LED RECHARGEABLE ROAD FLARES

SKU BL-2000R-6P

DIMENSIONS PER ROAD FLARE UNIT 4.25" Diameter x 1.5" Height

AVAILABLE COLORS ■

FEATURES

- Rechargeable Red LED Road Flares
- 16 LEDs per Road Flare unit
- 9 warning flash patterns
- Includes carrying case/charger
- Carrying case charges all 6 Road Flare units together
- Waterproof, floatable, & durable
- Magnetic base for mounting
- Power & flash pattern controls located on Road Flare units



STL SINGLE SWITCH PLATE

SKU P-301

DIMENSIONS 1.5" L x 2.3" H x 1.4" D

FEATURES

- Compatible with STL & 3rd party units
- 1 on/off toggle switch rated for 15 amps
- LED backlit switch
- L-shape body for mounting



STL DOUBLE SWITCH PLATE

SKU P-302 / P-305

DIMENSIONS 3" L x 2.3" H x 1.4" D

FEATURES

- Compatible with STL & 3rd party units
- 2 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Offered in 2 variants:
 - ◊ P-302: Power variant features 2 on/off switches
 - ◊ P-305: Combo variant features 1 on/off toggle & 1 momentary switch



STL TRIPLE SWITCH PLATE

SKU P-303 / P-306

DIMENSIONS 3.8" L x 2.3" H x 1.4" D

FEATURES

- Compatible with STL & 3rd party units
- 3 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Offered in 2 variants:
 - ◊ P-303: Power variant features 3 on/off toggle switches
 - ◊ P-306: Combo variant features 2 on/off toggle & 1 momentary switch



STL QUAD SWITCH PLATE

SKU P-304 / P-307

DIMENSIONS 4.75" L x 2.3" H x 1.4" D

FEATURES

- Compatible with STL & 3rd party units
- 4 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Offered in 2 variants:
 - ◊ P-304: Power variant features 4 on/off switches
 - ◊ P-307: Combo variant features 2 on/off toggle & 2 momentary switches




STL 3 SWITCH BOX

SKU C-3SCB

DIMENSIONS 5.2" L x 1.6" H x 2.75" D

FEATURES

- Compatible with STL & 3rd party units
- 3 switches rated for 15 amps each:
 - ◊ 2 on/off toggle switches (A/B)
 - ◊ 1 momentary switch (C)
- LED backlit switches
- Includes U-shape bracket for mounting




STL 4 SWITCH BOX

SKU C-4SCB

DIMENSIONS 5.2" L x 1.6" H x 2.75" D

FEATURES

- Compatible with STL & 3rd party units
- 4 switches rated for 15 amps each:
 - ◊ 3 on/off toggle switches (A/B/C)
 - ◊ 1 momentary switch (D)
- LED backlit switches
- Includes U-shape bracket for mounting




STL 5 SWITCH BOX

SKU C-5SCB

DIMENSIONS 5.2" L x 1.6" H x 2.75" D

FEATURES

- Compatible with STL & 3rd party units
- 5 switches rated for 15 amps each:
 - ◊ 4 on/off toggle switches (A/B/C/D)
 - ◊ 1 momentary switch (E)
- LED backlit switches
- Includes U-shape bracket for mounting




STL 6 SWITCH BOX

SKU C-6SCB

DIMENSIONS 5.2" L x 1.6" H x 2.75" D

FEATURES

- Compatible with STL & 3rd party units
- 6 switches rated for 15 amps each:
 - ◊ 5 on/off toggle switches (A/B/C/D/E)
 - ◊ 1 momentary switch (F)
- LED backlit switches
- Includes U-shape bracket for mounting



STL GRAND CONTROL

SKU C-GCB / C-GCBSTD

DIMENSIONS 2.5" L x 3.1" H x .9" D

FEATURES

- Compatible with STL products
- Power & flash pattern control
- Take down control
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
 - ◊ C-GCB: No modifications (standard model)
 - ◊ C-GCBSTD: Auxiliary switch replaced by Super Take Down



STL DIRECT CONTROL

SKU C-DCB

DIMENSIONS 4.3" L x 2.5" H x 1.4" D

FEATURES

- Compatible with STL products
- Power & flash pattern control
- Directional pattern control
- 2-position flash pattern speed control
- Auxiliary switch rated for 10 amps
- LED backlit buttons



STL GRANDIRECT CONTROL

SKU C-GDCB / C-GDCBSTD

DIMENSIONS 6" L x 2.6" H x 1.4" D

FEATURES

- Compatible with STL products
- Combination of Grand & Direct Control
- 2 independent power & flash pattern controls
- Directional pattern control
- Take down control
- 2-position flash pattern speed control
- 2 auxiliary switches rated for 10 amps each
- LED backlit buttons
- Offered in 2 variants:
 - ◊ C-GDCB: No modifications (standard model)
 - ◊ C-GDCBSTD: Auxiliary switch (on left side) replaced by Super Take Down



STL SUPREME CONTROL

SKU C-SPRCB / C-SPRCBSTD

DIMENSIONS 6.5" L x 3.1" H x 1.4" D

FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
 - ◊ C-SPRCB: No modifications (standard model)
 - ◊ C-SPRCBSTD: Auxiliary switch replaced by Super Take Down



WWW.SPEEDTECHLIGHTS.COM

STL CIGARETTE PLUG WITH SWITCHES

SKU C-CLP

DIMENSIONS 1.5" L x 1.1" H x 3.75" D

FEATURES

- Compatible with STL & 3rd party units
- Rated for 10 amps
- On/off toggle switch for power
- Momentary switch for flash pattern cycle
- Fits all vehicles



STL 3 SOCKET CIGARETTE PLUG SPLITTER

SKU C-3SCPS

DIMENSIONS 3.5" L x 1.3" H x 3" D

FEATURES

- Compatible with STL & 3rd party units
- 3 cigarette plug splitter
- 10 amps capacity per plug
- LED on/off indicator



STL MOTO-4 SWITCH BOX

SKU C-MCB

DIMENSIONS 2.3" L x 2.75" H x 2.3" D

FEATURES

- Compatible with STL Fury Siren
- 4 switches (+1 master POWER switch to enable 4 switches):
 - ◊ 1 on/off toggle switch for auxiliary warning light or siren tone (A)
 - ◊ 1 manual mode momentary switch for air horn or siren tone (B)
 - ◊ 2 on/off toggle switches for siren tones only (C/D)
- LED backlit buttons
- Weatherproof housing
- Includes handlebar mount & flat mount



STL WIRELESS REMOTE SWITCH BOX

SKU C-RSB

REMOTE CONTROLLER DIMENSIONS 1.5" L x 3.25" H x .5" D

POWER SUPPLY DIMENSIONS 3.75" L x 1" H x 2.25" D

FEATURES

- Compatible with STL & 3rd party units
- 6 switches rated for 10 amps each
- Allows for on/off or flash pattern control
- Allows for master power control
- Range of up to 100 feet
- Includes 1 remote key fob controller



STL HANDHELD SUPREME CONTROL

SKU C-SRPHH / C-SRPHHSTD

DIMENSIONS 2.5" L x 4.5" H x .8" D

FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
 - ◊ C-SRPHH: No modifications (standard model)
 - ◊ C-SRPHHSTD: Auxiliary switch replaced by Super Take Down



1.800.757.2581

STL DIRECT CONTROL CONSOLE BRACKET

SKU Q-DCHAVIS
 DIMENSIONS 8.75" L x 3" H
FEATURES

- Designed by Havis
- Compatible with the STL Direct Control
- Fits all Havis Consoles
- 3" mounting space



STL GRANDIRECT CONTROL CONSOLE BRACKET

SKU Q-GDCHAVIS
 DIMENSIONS 8.75" L x 4" H
FEATURES

- Designed by Havis
- Compatible with the STL Grandirect Control
- Fits all Havis Consoles
- 4" mounting space



STL SUPREME CONTROL CONSOLE BRACKET

SKU Q-SCHAVIS
 DIMENSIONS 8.75" L x 4" H
FEATURES

- Designed by Havis
- Compatible with the STL Supreme Control
- Fits all Havis Consoles
- 4" mounting space



STL BOSS CONSOLE BRACKET

SKU Q-BHAVIS
 DIMENSIONS 8.75" L x 3" H
FEATURES

- Designed by Havis
- Compatible with the STL Boss Siren
- Fits all Havis Consoles
- 3" mounting space



STL APEX CONSOLE BRACKET

SKU Q-AHAVIS
 DIMENSIONS 8.75" L x 4" H
FEATURES

- Designed by Havis
- Compatible with the STL Apex Siren
- Fits all Havis Consoles
- 4" mounting space



STL FULL LIGHT BAR BRACKETS

SKU Q-LB_
FEATURES


- Vehicle specific mounting brackets for STL Full Light Bars
 - Set includes pair of brackets
 - Available models:
 - ◊ Q-UGB: Universal
 - ◊ Q-LBF: Ford F-Series
 - ◊ Q-LBE: Ford Explorer (2011-2019)
 - ◊ Q-LBE20: Ford Explorer (2020+)
 - ◊ Q-LBEX: Ford Expedition(2011-2017)
 - ◊ Q-LBEX18: Ford Expedition (2018+)
 - ◊ Q-LBCV: Ford Crown Victoria
 - ◊ Q-LBFI: Ford Interceptor Sedan
 - ◊ Q-LBTSA: Chevrolet Tahoe, Suburban, Avalanche
 - ◊ Q-LBI: Chevrolet Impala
 - ◊ Q-LBC: Dodge Charger
 - ◊ Q-LBDDC: Dodge Durango, Dakota / Jeep Cherokee
- Additional vehicle models may be available*



STL RAPTOR SERIES VISOR BRACKETS

SKU Q-RV_
FEATURES

- Vehicle specific mounting brackets for STL Visor Light Bars
 - Available models:
 - ◊ Q-RVU: Universal
 - ◊ Q-RVF15: Ford F-150 (2015+)
 - ◊ Q-RVFSD17: Ford Super Duty (2017+)
 - ◊ Q-RVE11: Ford Explorer (2011-2019)
 - ◊ Q-RVE20: Ford Explorer (2020+)
 - ◊ Q-RVEX18: Ford Expedition (2018+)
 - ◊ Q-RVIT11: Ford Taurus (2011+)
 - ◊ Q-RVR15: Dodge Ram (2015-2019)
 - ◊ Q-RVC11: Dodge Charger (2011+)
 - ◊ Q-RVT07: Chevy Tahoe (2007-2014)
 - ◊ Q-RVT15: Chevy Tahoe (2015+)
- Additional vehicle models may be available*



STL 90° SUCTION CUP BRACKET

SKU Q-90SC

FEATURES

- Adjustable suction cup bracket
- 90° windshield mount capability
- Set includes bracket with 3 rubber suction cups




STL 360° SUCTION CUP & L BRACKETS

SKU Q-360B

FEATURES

- Suction cup & L-shape bracket in one
- 360° windshield or dash mount capability
- Set includes pair of brackets with 4 rubber suction cups



STL SURFACE MOUNT END CAPS

SKU Q-SMEC

FEATURES

- Surface mount brackets
- Compatible with STL Striker & Virtue Series
- Set includes pair of end cap brackets



STL STRIKER/VIRTUE SERIES WINDSHIELD VISOR

SKU Q-SV_VISOR

FEATURES

- Compatible with STL Striker & Virtue Series
- Mitigates light from reflecting internally off windshield
- Available models:
 - ◊ Q-SV1VISOR
 - ◊ Q-SV2VISOR
 - ◊ Q-SV4VISOR
 - ◊ Q-SV6VISOR
 - ◊ Q-SV8VISOR




STL HALF OCTO BRACKET

SKU Q-HOB

DIMENSIONS 7.6" L x 2.5" H x 1.5" D

FEATURES

- L-shape bracket
- Compatible with the STL Half Octo



WWW.SPEEDTECHLIGHTS.COM

STL PERMANENT STUD MOUNT LIGHT BAR BRACKET

SKU Q-LBPM

FEATURES

- Stud mount bracket
- Perfect for mounting STL Mini & Full Light Bars



STL HEADACHE RACK LIGHT BAR BRACKET

SKU Q-LBHRMB

FEATURES

- Headache rack bracket
- Perfect for mounting STL Mini & Full Light Bars



STL CARBINE SERIES LOWER WINDSHIELD BRACKETS FOR JEEP WRANGLER JK

SKU Q-JEEPLW2P

FEATURES

- Jeep Wrangler JK lower windshield mounting brackets
- Compatible with STL Carbine Series units that include stud mounts
- Set includes pair of brackets



STL CARBINE SERIES 50" LIGHT BAR BRACKETS

FEATURES

- Compatible with STL Carbine Series 50" units
- Set includes pair of brackets
- Available models:
 - ◊ Q-FORD50: Ford F-150 50" straight Carbine brackets
 - ◊ Q-FORDR50: Ford Raptor 50" straight Carbine brackets
 - ◊ Q-JEEP50: Jeep Wrangler JK 50" Carbine brackets
 - ◊ Q-JEEP502X: Jeep Wrangler JK Double 50" Carbine brackets
 - ◊ Q-JEEP50S: Jeep Wrangler JK 50" Carbine brackets with lower windshield mounts



STL CARBINE SERIES ANGLE SURFACE MOUNT FLANGE

FEATURES

- Angle surface mount flange
- Rubber material
- Available models:
 - ◊ W-HCFAP: for STL Hex Carbine Flush Mount
 - ◊ W-CZFAP: for STL Carbine-Z Flush Mount
 - ◊ W-CCFAP: for STL Circle Carbine Flush Mount



1.800.757.2581

STL STATIC HEADLINER BRACKET

SKU Q-STHB
 DIMENSIONS 4.75" L x 1.75" H x 7" D

- FEATURES**
- L-shape bracket
 - Attaches to headliner of vehicle
 - Perfect for mounting dash lights, grille lights, or individual LED units



STL ADJUSTABLE HEADLINER BRACKET

SKU Q-ADHB
 DIMENSIONS 3.5" L x 1.75" H x 7.5" D

- FEATURES**
- Adjustable L-shape bracket
 - Attaches to headliner of vehicle
 - Perfect for mounting dash lights, grille lights, or individual LED units



STL SINGLE STATIC BRACKET

SKU Q-SSTB
 DIMENSIONS 5" L x 1.25" H x 1.25" D

- FEATURES**
- L-shape bracket
 - Compatible with STL Z Series



STL DUAL STATIC HORIZONTAL BRACKET

SKU Q-DSTHB
 DIMENSIONS 10" L x 1.25" H x 1.25" D


- FEATURES**
- L-shape bracket
 - Compatible with STL Z Series



STL DUAL STATIC VERTICAL BRACKET

SKU Q-DSTVB
 DIMENSIONS 5" L x 2.25" H x 1.25" D

- FEATURES**
- L-shape bracket
 - Compatible with STL Z Series



STL HOOD MOUNT SINGLE STATIC BRACKET

SKU Q-HMB
 DIMENSIONS 5.75" L x 2.4" H x 1" D

- FEATURES**
- Hood mount bracket
 - Compatible with STL Z Series



STL LICENSE PLATE BRACKET

SKU Q-LPB
 HORIZONTAL SETUP DIMENSIONS 15" L x 1.5" H x .75" D
 VERTICAL SETUP DIMENSIONS 15" L x 5" H x .75" D


- FEATURES**
- Rear/front license plate bracket
 - Compatible with STL Z Series
 - Allows for vertical or horizontal mounting



STL FLARE SERIES SURFACE MOUNT FLANGE

SKU Q-SFFLANGE / Q-BFFLANGE
 AVAILABLE COATINGS

- FEATURES**
- Silver or black flange
 - Compatible with STL Flare Series



STL Z SERIES DOUBLE STACK SURFACE MOUNT FLANGE

SKU Q-Z3F / Q-Z4F / Q-Z6F
 AVAILABLE COATINGS


- FEATURES**
- White, silver, or black double stack flange
 - Compatible with STL Z Series
 - Offered in 3 sizes:
 - ◊ Z-3/6 Flange dimensions: 3.5" L x 2.5" H x .5" D
 - ◊ Z-4/8 Flange dimensions: 4.25" L x 2.5" H x .5" D
 - ◊ Z-6/12 Flange dimensions: 5.25" L x 2.5" H x .5" D



STL UPPER EXTERIOR HORIZONTAL/VERTICAL MOUNT


SKU Q-TUEHM / Q-TUEVM / Q-FUEHM

- FEATURES**
- Compatible with STL Z-6 TIR & Z-12 Linear
 - Available models:
 - ◊ Q-TUEHM: Tahoe Upper Exterior Horizontal Mount
 - ◊ Q-TUEVM: Tahoe Upper Exterior Vertical Mount
 - ◊ Q-FUEHM: Ford Explorer Upper Exterior Horizontal Mount



STL K-FORCE LIGHT BAR COLORED TOP COVERS



OPTIONAL UPGRADE



Customize the color of any K-Force Series Light Bar Top Cover!


Available Colors Include:

- BLACK
- WHITE
- SILVER
- RED
- BLUE
- YELLOW




STL INTERACTIVE PLAYER

Demo STL products online using our interactive player. Try before you buy!




STL CUSTOMIZATION TOOL

Customize your lights online to your exact needs using our customize a light bar tool!



STL COLOR SELECTOR

Visualize your exact color selection & layout while selecting your color attribute!





SPEEDTECH LIGHTS®

2809 BUSINESS PARK DRIVE
BUDA, TEXAS 78610
800.757.2581
www.SPEEDTECHLIGHTS.com

SHOP WITH CONFIDENCE®

TRUST IS EARNED®

