

SPEEDTECH LIGHTS®

STL®

LIGHTING THE WAY®

2017 CATALOG


1.800.757.2581

www.SPEEDTECHLIGHTS.com

TABLE OF CONTENTS

- 3 ABOUT US
- 5 DECK / DASH / VISOR
- 8 GRILLE / SURFACE MOUNTS
- 12 TRAFFIC ADVISORS
- 14 OFF ROAD / WORK LIGHTS
- 20 MINI LIGHT BARS
- 22 FULL LIGHT BARS
- 26 HIDEAWAYS
- 27 BEACONS
- 28 SWITCH BOXES
- 31 SPEAKERS
- 32 SIRENS
- 34 FLASHLIGHTS
- 36 MOUNTING BRACKETS

STAY CONNECTED WITH



Our Mission...

- Conduct business ethically and with integrity
- Carry powerful products of the highest quality
- Offer our units at an excellent and affordable price
- Provide customer service that exceeds expectations
- Establish trust between customer and STL

SpeedTech Lights Limited Warranty


- SpeedTech Lights issues a five year warranty on LEDs, Power Supplies & STL Switch Boxes for all mini and full 18"+ LED light bars.
- SpeedTech Lights issues a three year warranty on LEDs, Power Supplies & STL Switch Boxes for all other items, except those found under "Replacement Parts", "Outlet Store", "Flashlights", "Switch Boxes", strobe bulbs, cigarette lighter plugs, halogen bulbs.
- SpeedTech Lights issues a one year warranty on "Flashlights" and "Switch Boxes".
- Replacement Parts are a Final Sale; however, SpeedTech Lights will issue a 30 day warranty on replacement parts.
- Outlet Store "Reconditioned Products" and "Clearance Products" are a Final Sale; however, SpeedTech Lights will issue a 30 day warranty on Reconditioned Products and Clearance Products.
- No Warranty is included on any and all FREE/Giveaway items/products.

Limited Warranty: SpeedTech Lights warrants to the original retail purchaser that the "Product Name" will be free from manufacture defects for a period of one (1) year, three (3) years, five (5) years, ninety (90) days, or thirty (30) days from the date of your original purchase (the "Warranty Period"), subject to specific exclusions.

SpeedTech Lights Rewards Program

- Earn cash rewards towards future orders on every purchase!
- Points will be accrued at a rate of 1 point for every dollar spent on STL purchases. Does not apply to Havis items, shipping, or tax amounts. All fractions of a dollar will be rounded down. Redeem points at a rate of \$1 per 100 points collected.
- See STL online terms & conditions for further details.





STL ECLIPSE[®] OPTIC TECHNOLOGY

ECLIPSE[®] TIR OPTICS:

Total Internal Reflection (TIR) Optics provide a vast range of performance by producing a highly concentrated beam of light for each individual LED. Due to the overlapping light paths, Striker series optics produce a dense beam which allows LEDs to pierce through the darkest tint while maintaining its intensity. With less LEDs per module and a more precise focal output, TIR Optics are sure to exceed expectations.



Specs:

- 35° horizontal spread
- 20° vertical spread
- 90% efficiency

ECLIPSE[®] LINEAR OPTICS:

With a broader viewing angle and superior off-axis lighting, Linear Optics offer a high-intensity, wider-spread output for greater visibility. Unlike the modules containing TIR Optics, the Eclipse Linear LED modules include 50% more LEDs with a group magnifying effect to increase brightness. The Eclipse Linear Optical technology is the newest innovation in the STL catalog allowing for higher end performance ranging from grille units to full-size lightbars. The new SpeedTech Lights Eclipse Linear LED provides top quality technology and performance directly comparable with other industry leading competitors for fast-paced high demand environments in order to surpass the industry in both durability and affordability.



Specs:

- 50% more LEDs than TIR
- 55° horizontal spread
- 20° vertical spread
- 95% efficiency

STL SPLIT RAPTOR-X TIR

SKU B-SRTX8
DIMENSIONS (PER SIDE) 17" L X 1.3" H X 5.6" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (24) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 25 available flash patterns
- Includes universal brackets
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL SPLIT RAPTOR-X LINEAR

SKU B-SRLX8
DIMENSIONS (PER SIDE) 17" L X 1.3" H X 5.6" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (36) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 25 available flash patterns
- Includes universal brackets
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL SPLIT RAPTOR TIR



SKU B-SRT12
DIMENSIONS (PER SIDE) 19" L X 1.3" H X 5.6" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (36) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 25 available flash patterns
- Takedown lights steady burn or flash
- Includes universal brackets
- Optional dual color LED modules for takedown lights
- Optional STL Grand Control Switch Box
- 3 Year Warranty



STL SPLIT RAPTOR LINEAR



SKU B-SRL12
DIMENSIONS (PER SIDE) 19" L X 1.3" H X 5.6" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (48) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 25 available flash patterns
- Takedown lights steady burn or flash
- Includes universal brackets
- Optional dual color LED modules for takedown lights
- Optional STL Grand Control Switch Box
- 3 Year Warranty



STL MINI RAPTOR TIR

SKU B-MRT6

DIMENSIONS 25.5" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (22) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 15 available flash patterns
- Takedown lights steady burn or flash
- Optional removable windshield reflector
- Optional STL Grand Control Switch Box
- 3 Year Warranty



STL STRIKER-1

SKU B-ST1

DIMENSIONS 5" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (4) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 11 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL STRIKER-2

SKU B-ST2

DIMENSIONS 9.25" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (8) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 24 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL STRIKER-4

SKU B-ST4

DIMENSIONS 17.4" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (16) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL ARC VISOR

SKU B-AV2

DIMENSIONS 11.25" L X 5" H X 1.5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (14) 3-watt MaxGen LEDs
- Eclipse TIR Optics
- 15 available flash patterns
- LCD display illuminates pattern number
- Includes cigarette plug with on/off control
- 3 Year Warranty



STL VIRTUE-1


SKU B-VL1

DIMENSIONS 5" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (6) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 11 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL VIRTUE-2

SKU B-VL2

DIMENSIONS 9.25" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (12) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 24 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL VIRTUE-4

SKU B-VL4

DIMENSIONS 17.4" L X 1.6" H X 2.2" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (24) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 30 available flash patterns
- Optional removable windshield reflector
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL STRIKER GRILLE

SKU G-SGT2

DIMENSIONS (PER SIDE) 5" L X 1.6" H X 2.2" D

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (8) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 15 available flash patterns
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL VIRTUE GRILLE

SKU G-VGL2

DIMENSIONS (PER SIDE) 5" L X 1.6" H X 2.2" D

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (12) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 15 available flash patterns
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL HALF OCTO

SKU G-HOT4

DIMENSIONS 6" L X 2" H X 2.5" D

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (12) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 13 available flash patterns
- 3 Year Warranty



STL ARC-3

SKU G-AT3

DIMENSIONS (WITH FLANGE) 4.5" DIAMETER X 1.25" DEPTH

DIMENSIONS (WITHOUT FLANGE) 3.7" DIAMETER X 1.25" DEPTH

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (7) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 12 available flash patterns
- 3 Year Warranty



STL ALPHA SURFACE MOUNT 7X3

SKU G-A7X3

DIMENSIONS (WITH FLANGE) 7.7" L X 3.7" H X .75" D

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (12) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- 3 Year Warranty



STL ALPHA SURFACE MOUNT 6X4

SKU G-A6X4

DIMENSIONS (WITH FLANGE) 7" L X 4.6" H X .75" D

AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (18) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- 3 Year Warranty



STL ALPHA SURFACE MOUNT 7X9

SKU G-A7X9

DIMENSIONS (WITH FLANGE) 9.6" L X 7.6" H X .75" D


AVAILABLE COLORS 

FEATURES

- Powered by 12V
- (30) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- 3 Year Warranty




STL Z-3 TIR

- SKU G-ZT3
 DIMENSIONS 2.9" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (3) 3-watt MaxGen LEDs
 - Eclipse TIR optics
 - 21 available flash patterns
 - 3 Year Warranty




STL Z-4 TIR

- SKU G-ZT4
 DIMENSIONS 3.6" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (4) 3-watt MaxGen LEDs
 - Eclipse TIR optics
 - 26 available flash patterns
 - 3 Year Warranty




STL Z-6 TIR

- SKU G-ZT6
 DIMENSIONS 4.9" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (6) 3-watt MaxGen LEDs
 - Eclipse TIR optics
 - 26 available flash patterns
 - 3 Year Warranty




STL Z-180 TIR

- SKU G-ZT180
 DIMENSIONS 4.2" L X 1" H X 1.5" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (6) 3-watt MaxGen LEDs
 - Eclipse TIR optics
 - 26 available flash patterns
 - 3 Year Warranty




STL Z-3 LINEAR

- SKU G-ZL3
 DIMENSIONS 2.9" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (3) 3-watt MaxGen LEDs
 - Eclipse Linear optics
 - 21 available flash patterns
 - 3 Year Warranty





STL Z-4 LINEAR

- SKU G-ZL4
 DIMENSIONS 3.6" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (4) 3-watt MaxGen LEDs
 - Eclipse Linear optics
 - 26 available flash patterns
 - 3 Year Warranty



STL Z-6 LINEAR

- SKU G-ZL6
 DIMENSIONS 4.9" L X 1" H X .6" D
 AVAILABLE COLORS 
 FEATURES
- Powered by 12V
 - (6) 3-watt MaxGen LEDs
 - Eclipse Linear optics
 - 26 available flash patterns
 - 3 Year Warranty



Z-X SERIES FLANGES
(see page 37 for details)



STRIKER-6



SKU D-ST6
DIMENSIONS 25.6" L X 1.6" H X 2.2" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (24) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- 5 available directional patterns
- Optional removable windshield reflector
- Optional STL Direct II Control Switch Box
- 3 Year Warranty



STRIKER-8



SKU D-ST8
DIMENSIONS 33.8" L X 1.6" H X 2.2" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (32) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 30 available flash patterns
- 5 available directional patterns
- Optional removable windshield reflector
- Optional STL Direct II Control Switch Box
- 3 Year Warranty



DART

SKU D-DT16
DIMENSIONS 33" L X 16" H X 3" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (48) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 19 available flash patterns
- 10 available directional patterns
- Includes mounting brackets
- Optional STL Direct II Control Switch Box
- 3 Year Warranty



WWW.SPEEDTECHLIGHTS.COM

VIRTUE-6



SKU D-VL6
DIMENSIONS 25.6" L X 1.6" H X 2.2" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (36) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 30 available flash patterns
- 5 available directional patterns
- Optional removable windshield reflector
- Optional STL Direct II Control Switch Box
- 3 Year Warranty



VIRTUE-8



SKU D-VL8
DIMENSIONS 33.8" L X 1.6" H X 2.2" D
AVAILABLE COLORS

FEATURES

- Powered by 12V
- (48) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 30 available flash patterns
- 5 available directional patterns
- Optional removable windshield reflector
- Optional STL Direct II Control Switch Box
- 3 Year Warranty



1.800.757.2581

STL CARBINE 5" FLOODLIGHT

SKU W-C5F
DIMENSIONS 5.5" L X 2.15" H X 2.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (3) 5-watt CREE LEDs
- 1,500 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL CARBINE 12" FLOODLIGHT

SKU W-C12F
DIMENSIONS 11.5" L X 2.15" H X 2.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (9) 5-watt CREE LEDs
- 4,500 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL CARBINE 18" FLOODLIGHT

SKU W-C18F
DIMENSIONS 18" L X 2.15" H X 2.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (15) 5-watt CREE LEDs
- 7,500 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL CARBINE 18" HYBRID

SKU W-C18H
DIMENSIONS 18" L X 2.15" H X 2.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (15) 5-watt CREE LEDs
- 7,500 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 5" FLOODLIGHT

SKU W-DC5F
DIMENSIONS 4.75" L X 3.15" H X 3.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (6) 3-watt CREE LEDs
- 1,320 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 8" FLOODLIGHT

SKU W-DC8F
DIMENSIONS 8" L X 3.15" H X 3.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (12) 3-watt CREE LEDs
- 2,640 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 11" FLOODLIGHT

SKU W-DC11F
DIMENSIONS 11" L X 3.15" H X 3.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (18) 3-watt CREE LEDs
- 3,960 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 11" HYBRID

SKU W-DC11H
DIMENSIONS 11" L X 3.15" H X 3.25" D
AVAILABLE COLORS
FEATURES

- Powered by 10-28V
- (18) 3-watt CREE LEDs
- 3,960 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 20" FLOODLIGHT

SKU W-DC20F

DIMENSIONS 20" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (36) 3-watt CREE LEDs
- 7,920 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 20" HYBRID

SKU W-DC20H

DIMENSIONS 20" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (36) 3-watt CREE LEDs
- 7,920 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 30" FLOODLIGHT

SKU W-DC30F

DIMENSIONS 30" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (54) 3-watt CREE LEDs
- 11,880 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 30" HYBRID

SKU W-DC30H

DIMENSIONS 30" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (54) 3-watt CREE LEDs
- 11,880 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 50" FLOODLIGHT

SKU W-DC50F

DIMENSIONS 50" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (96) 3-watt CREE LEDs
- 21,120 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 50" HYBRID

SKU W-DC50H

DIMENSIONS 50" L X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (96) 3-watt CREE LEDs
- 21,120 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 50" CURVED FLOODLIGHT

SKU W-CDC50F

DIMENSIONS 50" ARC LENGTH X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (96) 3-watt CREE LEDs
- 21,120 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL DUAL CARBINE 50" CURVED HYBRID

SKU W-CDC50H

DIMENSIONS 50" ARC LENGTH X 3.15" H X 3.25" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (96) 3-watt CREE LEDs
- 21,120 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL QUAD CARBINE FLOODLIGHT

SKU W-QC9F

DIMENSIONS 3.5" L X 3.5" H X 2.5" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (9) 3-watt CREE LEDs
- 1,980 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL QUAD CARBINE HYBRID

SKU W-QC9H

DIMENSIONS 3.5" L X 3.5" H X 2.5" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (9) 3-watt CREE LEDs
- 1,980 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL CIRCLE CARBINE FLOODLIGHT

SKU W-CC7F

DIMENSIONS 4" L X 4" H X 2.5" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (7) 3-watt CREE LEDs
- 1,540 Lumens
- Flood optics
- Steady burn Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



STL CIRCLE CARBINE HYBRID

SKU W-CC7H

DIMENSIONS 4" L X 4" H X 2.5" D

AVAILABLE COLORS

FEATURES

- Powered by 10-28V
- (7) 3-watt CREE LEDs
- 1,540 Lumens
- Hybrid of Spot & Flood optics
- Steady burn Spotlight & Floodlight functionality
- IP68 weatherproof housing
- Includes adjustable end cap brackets
- 3 Year Warranty



*Hybrid image not yet available. Floodlight shown instead.

STL MICRO CARBINE

SKU W-050

DIMENSIONS 2.75" L X 1.5" H X .5" D

AVAILABLE COLORS

FEATURES

- Powered by 10-30V
- (3) 5-watt CREE LEDs
- 570 Lumens
- IP67 weatherproof housing
- Steady burn functionality
- Includes flat & curved rubber mounting bases
- 3 Year Warranty




STL CARBINE 12V RELAY

SKU P-12RELAY

FEATURES

- 12V relay harness with on/off control
- Rated at 60 amps
- Compatible with STL Carbine Series
- Includes 10 feet of cable
- Optional Wireless Remote features flashing capability



STL PRIME 18" TIR

SKU M-PTC18

DIMENSIONS 17.75" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (40) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 15 available flash patterns
- Includes magnetic feet for mounting
- Optional cigarette plug with on/off & flash pattern controls
- 5 Year Warranty



STL K-FORCE MICRO 14" TIR

SKU M-KFMT14

DIMENSIONS 14" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (22) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 15 available flash patterns
- Includes magnetic feet for mounting
- Optional cigarette plug with on/off & flash pattern controls
- 5 Year Warranty



STL PRIME 18" LINEAR

SKU M-PLC18

DIMENSIONS 17.75" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (60) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 15 available flash patterns
- Includes magnetic feet for mounting
- Optional cigarette plug with on/off & flash pattern controls
- 5 Year Warranty



STL K-FORCE MICRO 14" LINEAR

SKU M-KFML14

DIMENSIONS 14" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (30) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 15 available flash patterns
- Includes magnetic feet for mounting
- Optional cigarette plug with on/off & flash pattern controls
- 5 Year Warranty



STL PRIME 27" TIR

SKU M-PTC27

DIMENSIONS 27.25" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (56) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 23 available flash patterns
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box
- 5 Year Warranty



STL PRIME 27" LINEAR

SKU M-PLC27

DIMENSIONS 27.25" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (84) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 23 available flash patterns
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box
- 5 Year Warranty



STL PRIME 36" TIR

SKU F-PTC36

DIMENSIONS 37.25" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (68) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 36" LINEAR

SKU F-PLC36

DIMENSIONS 37.25" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (96) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 47" TIR

SKU F-PTC47

DIMENSIONS 46.5" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (84) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 47" LINEAR

SKU F-PLC47

DIMENSIONS 46.5" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (120) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 55" TIR

SKU F-PTC55

DIMENSIONS 55" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (100) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 55" LINEAR

SKU F-PLC55

DIMENSIONS 55" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (144) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 55" TIR TOW

SKU F-PTCTOW55

DIMENSIONS 55" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (98) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Rear LED work lights
- Brake/turn/tail functionality
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 55" LINEAR TOW

SKU F-PLCTOW55

DIMENSIONS 55" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (138) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Rear LED work lights
- Brake/turn/tail functionality
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



**MULTICOLOR
FUNCTIONALITY**

STL PRIME 63" TIR



SKU F-PTC55

DIMENSIONS 63" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (116) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



*63" image not yet available. 55" shown instead.

STL PRIME 71" TIR



SKU F-PTC55

DIMENSIONS 71" L X 2.25" H X 12" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (132) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



*71" image not yet available. 55" shown instead.

STL K-FORCE MICRO 50" TIR



SKU F-KFMT50

DIMENSIONS 50" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (86) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL K-FORCE MICRO 50" LINEAR



SKU F-KFML50

DIMENSIONS 50" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (126) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL K-FORCE MICRO 60" TIR



SKU F-KFMT60

DIMENSIONS 59" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (102) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL K-FORCE MICRO 60" LINEAR



SKU F-KFML60

DIMENSIONS 59" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (150) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL K-FORCE MICRO 60" TIR TOW



SKU F-KFMTTOW60

DIMENSIONS 59" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (102) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Rear LED work lights
- Brake/turn/tail functionality
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL K-FORCE MICRO 60" LINEAR TOW



SKU F-KFMLTOW60

DIMENSIONS 59" L X 2.25" H X 5" D

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (150) 3-watt MaxGen LEDs
- Eclipse Linear optics
- 39 available flash patterns
- Built-in amber traffic advisor with directional patterns
- Takedown & Alley lights steady burn or flash
- Rear LED work lights
- Brake/turn/tail functionality
- Optional STL Supreme II Control Switch Box
- 5 Year Warranty



STL 80-WATT STROBE KIT

SKU K-W80

POWER SUPPLY DIMENSIONS 5.5" L X 1.75" H X 4.5" D

BULB DIMENSIONS 1" BASE X 2.25" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- Set includes 4 bulbs
- 4 available flash patterns
- Push bulb installation
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL FLARE-X

SKU K-FX1

BULB DIMENSIONS 1" BASE X 1" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (1) 3-watt MaxGen LED
- Steady burn functionality
- Push bulb installation
- 3 Year Warranty



STL FLARE 6 LED 360°

SKU K-F6360

BULB DIMENSIONS 1.5" BASE X 1.2" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (6) 3-watt MaxGen LEDs
- 360° optic configuration
- 20 available flash patterns
- Push bulb installation
- 3 Year Warranty



STL FLARE 6 LED

SKU K-F60

BULB DIMENSIONS 1.5" BASE X 1" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (6) 3-watt MaxGen LEDs
- 20 available flash patterns
- Push bulb installation
- 3 Year Warranty



STL FLARE 12 LED

SKU K-F12

BULB DIMENSIONS 1.5" BASE X 1" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (12) 3-watt MaxGen LEDs
- 20 available flash patterns
- Push bulb installation
- 3 Year Warranty



STL PATROL

SKU Y-PB12 / Y-PBMC12

DIMENSIONS 5.1" BASE X 3.8" HEIGHT (4.1" LENS WIDTH)

AVAILABLE COLORS

FEATURES

- Powered by 10-30V
- (12) 3-watt MaxGen LEDs
- 29 available flash patterns
- IP65 weatherproof housing
- UV stabilized lens resists fading
- Optional (Y-PBMC12) model features:
 - ◊ Magnetic base for mounting
 - ◊ Cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL DOME

SKU Y-DB12 / Y-DBMC12

DIMENSIONS 6.5" BASE X 6.9" HEIGHT (5.1" LENS WIDTH)

AVAILABLE COLORS

FEATURES

- Powered by 10-30V
- (12) 3-watt MaxGen LEDs
- 29 available flash patterns
- IP65 weatherproof housing
- UV stabilized lens resists fading
- Optional (Y-DBMC12) model features:
 - ◊ Magnetic base for mounting
 - ◊ Cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL OCTO

SKU M-OT8

DIMENSIONS 6" BASE X 2.75" HEIGHT

AVAILABLE COLORS

FEATURES

- Powered by 12V
- (24) 3-watt MaxGen LEDs
- Eclipse TIR optics
- 16 available flash patterns
- Includes magnetic base for mounting
- Optional cigarette plug with on/off & flash pattern controls
- 3 Year Warranty



STL GRAND CONTROL

- SKU C-GCB**
DIMENSIONS 2.5" L X 3" H X 1.3" D
FEATURES
- Powered by 12V
 - Flash pattern control
 - Takedown/alley control
 - Auxiliary switch rated at 10 amps
 - Compatible with STL and third party units
 - 1 Year Warranty



STL WIRELESS REMOTE SWITCH BOX

- SKU C-RSB**
POWER SUPPLY DIMENSIONS 3" L X 2" H X 1" D
FEATURES
- Powered by 12V
 - 6 switches rated at 10 amps each
 - Allows for on/off or flash pattern control
 - Remotely power up to 6 units
 - Range of up to 150 feet
 - Compatible with all STL and third party units
 - Set includes 1 remote controller
 - 1 Year Warranty



STL DIRECT II CONTROL

- SKU C-DIRECT2CB**
DIMENSIONS 4.9" L X 2.6" H X 1.5" D
FEATURES
- Powered by 12V
 - Flash pattern & directional pattern control
 - 2-position flash pattern speed sliding switch
 - Auxiliary switch rated at 10 amps
 - Compatible with STL Traffic Advisors
 - 1 Year Warranty



STL TRI SWITCH BOX

- SKU C-3SB**
DIMENSIONS 4.5" L X 1.25" H X 3.25" D
FEATURES
- Powered by 12V
 - 3 switches rated at 15 amps each
 - Compatible with all STL and third party units
 - Includes U bracket for mounting
 - 1 Year Warranty



STL GRANDIRECT CONTROL

- SKU C-GDCB**
DIMENSIONS 6.1" L X 2.6" H X 1.5" D
FEATURES
- Powered by 12V
 - Design to control 2 units
 - Full functionality of both STL Grand & Direct II Control
 - Takedown/alley control
 - Flash pattern & directional pattern control
 - 2-position flash pattern speed sliding switch
 - 2 auxiliary switches rated at 10 amps each
 - Compatible with STL Traffic Advisors, Deck/Dash & Mini Light Bar units
 - 1 Year Warranty



STL QUAD SWITCH BOX

- SKU C-4SB**
DIMENSIONS 4.5" L X 1.25" H X 3.25" D
FEATURES
- Powered by 12V
 - 4 switches rated at 15 amps each
 - Compatible with all STL and third party units
 - Includes U bracket for mounting
 - 1 Year Warranty



STL SUPREME II CONTROL

- SKU C-SUP2CB**
DIMENSIONS 6.6" L X 3.2" H X 1.5" D
FEATURES
- Powered by 12V
 - Takedown, alley, & cruise control
 - Flash pattern & directional pattern control
 - 3-stage sliding power switch: front, back, all
 - Auxiliary switch rated at 10 amps
 - Compatible with STL Full Light Bars
 - 1 Year Warranty



STL PENT SWITCH BOX

- SKU C-5SB**
DIMENSIONS 4.5" L X 1.25" H X 3.25" D
FEATURES
- Powered by 12V
 - 5 switches rated at 15 amps each
 - Compatible with all STL and third party units
 - Includes U bracket for mounting
 - 1 Year Warranty



STL HEX SWITCH BOX

- SKU C-6SB**
DIMENSIONS 4.5" L X 1.25" H X 3.25" D
FEATURES
- Powered by 12V
 - 6 switches rated at 15 amps each
 - Compatible with all STL and third party units
 - Includes U bracket for mounting
 - 1 Year Warranty



STL SINGLE POWER SWITCH PLATE

SKU P-301

DIMENSIONS 2" L X 2.25" H X 1.5" D

FEATURES

- Powered by 12V
- Rated at 15 amps per switch
- Single on/off switch unit
- Switch lights up when powered on
- Compatible with all STL and third party units
- L bracket shape for mounting
- 1 Year Warranty



STL DOUBLE SWITCH PLATE

SKU P-302 / P-305

DIMENSIONS 3" L X 2.25" H X 1.5" D

FEATURES

- Powered by 12V
- Rated at 15 amps per switch
- Switches light up when powered on
- Compatible with all STL and third party units
- L bracket shape for mounting
- Offered in 2 variants:
 - ◊ (P-302) Power variant features 2 on/off switches
 - ◊ (P-305) Combo variant features 1 on/off & 1 momentary switch
- 1 Year Warranty



STL TRIPLE SWITCH PLATE

SKU P-303 / P-306

DIMENSIONS 4" L X 2.25" H X 1.5" D

FEATURES

- Powered by 12V
- Rated at 15 amps per switch
- Switches light up when powered on
- Compatible with all STL and third party units
- L bracket shape for mounting
- Offered in 2 variants:
 - ◊ (P-303) Power variant features 3 on/off switches
 - ◊ (P-306) Combo variant features 2 on/off & 1 momentary switch
- 1 Year Warranty



STL QUAD SWITCH PLATE

SKU P-304 / P-307

DIMENSIONS 4.75" L X 2.25" H X 1.5" D

FEATURES

- Powered by 12V
- Rated at 15 amps per switch
- Switches light up when powered on
- Compatible with all STL and third party units
- L bracket shape for mounting
- Offered in 2 variants:
 - ◊ (P-304) Power variant features 4 on/off switches
 - ◊ (P-307) Combo variant features 2 on/off & 2 momentary switch
- 1 Year Warranty



STL ICON 100-WATT SPEAKER

SKU A-IC100

DIMENSIONS 6.5" L X 6.5" H X 2.25" D

AVAILABLE COATINGS

FEATURES

- Powered by 12V
- 100-watt speaker output
- Weatherproof housing
- Compact design
- Clear sound frequency
- Includes rotating bracket for mounting
- 3 Year Warranty



STL ICON 150-WATT SPEAKER

SKU A-IC150

DIMENSIONS 6.5" L X 6.5" H X 2.25" D

AVAILABLE COATINGS

FEATURES

- Powered by 12V
- 150-watt speaker output
- Weatherproof housing
- Compact design
- Clear sound frequency
- Includes rotating bracket for mounting
- 3 Year Warranty



STL 100-WATT CONE SPEAKER

SKU A-100

DIMENSIONS 8" L X 5" H X 7" D

FEATURES

- Powered by 12V
- 100-watt speaker output
- Weatherproof housing
- Clear sound frequency
- Includes flat bracket for mounting
- 3 Year Warranty



STL 150-WATT CONE SPEAKER

SKU A-150

DIMENSIONS 8" L X 5" H X 7" D

FEATURES

- Powered by 12V
- 150-watt speaker output
- Weatherproof housing
- Clear sound frequency
- Includes flat bracket for mounting
- 3 Year Warranty



STL INTELLISIREN

SKU IS-100

CONTROLLER DIMENSIONS 6.93" L X 3.2" H X 1" D

RELAY DIMENSIONS 9.1" L X 2.3" H X 5.7" D

FEATURES

- Powered by 12V
- Max total input current of 60 amps
- Amplifier output power of 100-watts
- Siren output overload protection
- Radio re-broadcast functionality
- Siren, PA & horn functionality
- Siren tones: Wail, Yelp, Phaser, Hi-Lo
- Logic Inputs: Night Mode, Park Kill, Horn Ring, Ignition
- Includes microphone
- 3 Year Warranty



STL BOSS

SKU S-B200

CONTROLLER DIMENSIONS 5" L X 3" H X 1" D

AMPLIFIER DIMENSIONS 5" L X 2.5" H X 6.5" D

FEATURES

- Powered by 12V
- Amplifier output power of 200-watts
- Siren, PA & horn functionality
- Siren tones: Wail, Yelp, Sting, Tool, Hi-Lo
- Multi-tone functionality allows for independent siren tones to each speaker
- Includes microphone
- 3 Year Warranty



STL APEX

SKU S-A150

CONTROLLER DIMENSIONS 5.75" L X 3.25" H X 1.5" D

AMPLIFIER DIMENSIONS 5" L X 2.5" H X 6.5" D

FEATURES

- Powered by 12V
- Amplifier output power of 150-watts
- 4 independent auxiliary switches rated at 10 amps each
- Linked 2-stage sliding auxiliary switch rated at 10 amps
- Siren, PA & horn functionality
- Siren tones: Wail, Yelp, Sting, Tool, Hi-Lo
- Includes microphone
- 3 Year Warranty



STL FINAL

SKU S-F100

CONTROLLER DIMENSIONS 5" L X 3" H X 1" D

AMPLIFIER DIMENSIONS 6" L X 1.5" H X 4" D

FEATURES

- Powered by 12V
- Amplifier output power of 100-watts
- Siren, PA & horn functionality
- Siren tones: Wail, Yelp, Sting, Tool, Hi-Lo
- Includes microphone
- 3 Year Warranty



STL VIREO

SKU S-V100

CONTROLLER DIMENSIONS 2" L X 4.5" H X 1" D

AMPLIFIER DIMENSIONS 6" L X 2" H X 6.5" D

FEATURES

- Powered by 12V
- Amplifier output power of 100-watts
- Hybrid microphone/controller
- 4 auxiliary switches rated at 10 amps each
- Siren, PA & dual horn functionality
- Siren tones: Wail, Yelp, Sting, Tool, Hi-Lo
- Includes microphone
- 3 Year Warranty



STL MEGA

SKU S-M100

DIMENSIONS 5" L X 1.5" H X 6" D

FEATURES

- Powered by 12V
- Amplifier output power of 100-watts
- Combined amplifier and control unit
- Siren, PA & horn functionality
- Siren tones: Wail, Yelp, Sting, Tool, Hi-Lo
- Includes microphone
- 3 Year Warranty



STL PA 100

SKU S-PA100

DIMENSIONS 5" L X 1.5" H X 6" D

FEATURES

- Powered by 12V
- Amplifier output power of 100-watts
- Combined amplifier and control unit
- PA & dual horn functionality
- Includes microphone
- 3 Year Warranty



STL TRI-BEAM

SKU J-TB800

DIMENSIONS 9.25" L X 2.2" LAMP DIAMETER X 1" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 800 Lumens
- (3) 3-watt CREE High Power LEDs
- 3 mode functionality: High, Low, Strobe
- Waterproof: IP67
- Includes rechargeable lithium battery
- Includes wall charger & portable car charger
- 1 Year Warranty



STL ALTER-BEAM

SKU J-AB800

DIMENSIONS (ADJUSTABLE) 8.5" L (OR 6" L) X 1.5" LAMP DIAMETER X 1" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 800 Lumens
- CREE High Power LED
- 5 mode functionality: High, Medium, Low, Strobe, SOS
- Waterproof: IP68
- Requires (4) 123A Batteries (sold separately)
- 1 Year Warranty



STL TRIGGER-BEAM

SKU J-TB220

DIMENSIONS 5.7" L X 1.34" LAMP DIAMETER X 1" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 220 Lumens
- 3-watt CREE High Power LEDs
- 3 mode functionality: High, Low, Strobe
- Waterproof: IP67
- Includes rechargeable lithium battery
- Includes wall charger & portable car charger
- 1 Year Warranty



STL FOCUS-BEAM

SKU J-FB230

DIMENSIONS 4.5" L X 1.25" LAMP DIAMETER X 1" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 230 Lumens
- CREE High Power LED
- 5 mode functionality: High, Medium, Low, Strobe, SOS
- Adjustable focus for more concentrated beam
- Water resistant: IP55
- Requires (3) AAA Batteries or (2) 123A Batteries (sold separately)
- 1 Year Warranty



STL UV-BEAM

SKU J-UV365

DIMENSIONS 3.8" L X .8" LAMP DIAMETER X .8" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 365nm UV light
- Color BIN: Purple
- Requires 1 AA Battery (sold separately)
- 1 Year Warranty



STL MAG-BEAM

SKU J-MB160

DIMENSIONS 2.75" L X .8" LAMP DIAMETER X .8" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 160 Lumens
- CREE High Power LED
- Magnetic base
- Waterproof: IP68
- Requires 1 AA Battery (sold separately)
- 1 Year Warranty



STL MINI-BEAM

SKU J-MB120

DIMENSIONS 3.15" L X .5" LAMP DIAMETER X .5" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 120 Lumens
- CREE High Power LED
- Waterproof: IP68
- Requires 1 AAA Battery (sold separately)
- 1 Year Warranty



STL CLIP-BEAM

SKU J-CB90

DIMENSIONS 3.4" L X .5" LAMP DIAMETER X .5" HANDLE DIAMETER

AVAILABLE COLORS

FEATURES

- 90 Lumens
- CREE High Power LED
- Waterproof: IP68
- Includes metal pocket clip
- Requires 1 AAA Battery (sold separately)
- 1 Year Warranty



STL FLASHLIGHT HOLSTER

SKU J-000

FEATURES

- Fits STL Tri-Beam (once anti-roll attachment is removed)
- Fits STL Alter-Beam
- Fits STL Trigger-Beam
- Fits STL Focus-Beam



STL FLASHLIGHT BICYCLE MOUNT

SKU P-190

FEATURES

- Fits STL Tri-Beam
- Fits STL Alter-Beam
- Fits STL Trigger-Beam
- Fits STL Focus-Beam



STL SUCTION CUP BRACKET

SKU Q-SUCUP / Q-90SUCUP / Q-360SUCUP

FEATURES

- Adjustable suction cup bracket
- Offered in 3 models:
 - ◊ Suction Cup Bracket
 - ◊ 90° Suction Cup Bracket
 - ◊ 360° Suction Cup Brackets (includes 2 end cap brackets)



Q-SUCUP

Q-90SUCUP

Q-360SUCUP


STL STATIC HEADLINER BRACKET

SKU Q-STATHB

DIMENSIONS 4.75" L X 1.75" H X 7" D

FEATURES

- L-shaped bracket
- Attaches to headliner of vehicle
- Perfect for mounting dash lights, grille lights, or individual LED units



STL ADJUSTABLE HEADLINER BRACKET

SKU Q-ADJHB

DIMENSIONS 3.5" L X 1.75" H X 7.5" D

FEATURES

- Adjustable L-shaped bracket
- Attaches to headliner of vehicle
- Perfect for mounting dash lights, grille lights, or individual LED units



STL SURFACE MOUNT END CAPS

SKU Q-SMEC

FEATURES

- Surface mount brackets
- Compatible with STL Striker & Virtue Series products
- Set includes 2 end cap mounting brackets



STL UNIVERSAL Z-SHAPED BRACKETS

SKU Q-UNIZ

DIMENSIONS 8.75" L X 3.5" H X 1.5" D

FEATURES

- Z-shaped brackets
- Compatible with all track-mounted products
- Set includes 2 mounting brackets



STL LICENSE PLATE BRACKET

SKU Q-LPB

FEATURES

- Front/Rear license plate bracket
- Compatible with STL Z Series products
- Allows for vertical or horizontal mounting
- Horizontal setup dimensions: 15" L x 1.5" H x .75" D
- Vertical setup dimensions: 15" L x 5" H x .75" D



STL SINGLE STATIC BRACKET

SKU Q-SSTATB

DIMENSIONS 5" L X 1.25" H X 1.25" D

FEATURES

- L-shaped bracket
- Compatible with STL Z Series products



STL DUAL STATIC HORIZONTAL BRACKET

SKU Q-DSHB

DIMENSIONS 10" L X 1.25" H X 1.25" D

FEATURES

- L-shaped bracket
- Compatible with STL Z Series products



STL DUAL STATIC VERTICAL BRACKET

SKU Q-DSVB

DIMENSIONS 5" L X 2.25" H X 1.25" D

FEATURES

- Double stack L-shaped bracket
- Compatible with STL Z Series products



STL HALF OCTO BRACKET

SKU Q-HOB

DIMENSIONS 7.6" L X 2.5" H X 1.5" D

FEATURES

- L-shaped bracket
- Fits the STL Half Octo



STL DOUBLE STACK Z-X SURFACE MOUNT FLANGE

SKU Q-Z3FLANGE / Q-Z4FLANGE / Q-Z6FLANGE

AVAILABLE COATINGS

FEATURES

- White, Silver or Black double stack flange
- Compatible with STL Z Series products
- Offered in 3 sizes:
 - ◊ Z-3 Flange dimensions: 3.5"L x 2.5"H x .5"D
 - ◊ Z-4 Flange dimensions: 4.25"L x 2.5"H x .5"D
 - ◊ Z-6 Flange dimensions: 5.25"L x 2.5"H x .5"D



Q-Z3FLANGE



Q-Z4FLANGE



Q-Z6FLANGE

STL FLARE SERIES SURFACE MOUNT FLANGE

SKU Q-SFFLANGE / Q-BFFLANGE

AVAILABLE COATINGS

FEATURES

- Silver or Black flush mount flange
- Compatible with STL Flare Series



Q-SFFLANGE



Q-BFFLANGE

STL FLARE SERIES L BRACKET

SKU Q-FLBRAC / Q-FCBRAC

FEATURES

- L-shaped bracket
- Compatible with STL Flare Series
- Optional (Q-FCBRAC) variant includes Hood C Clamp



Q-FLBRAC

Q-FCBRAC

STL FLARE SERIES FLUSH MOUNT GROMMET

SKU Q-FFLUSH

FEATURES

- Flush mount grommet
- Compatible with STL Flare Series



STL HEADACHE RACK BEACON BRACKET

SKU Q-BHRMB

DIMENSIONS 9" DISK DIAMETER

FEATURES

- Headache rack bracket
- Perfect for mounting magnetic or non-magnetic Beacons




STL HEADACHE RACK LIGHT BAR BRACKETS

SKU Q-LBHRMB2P

DIMENSIONS 5" L X 5.65" H X 9" D

FEATURES

- Headache rack brackets
- Perfect for mounting Mini & Full Light Bars
- Set includes 2 mounting brackets



STL GUTTER MOUNT BRACKETS

SKU Q-020

DIMENSIONS 12" L X 2" W

FEATURES

- Standard gutter mount brackets for Full Light Bars
- Set includes 2 mounting brackets



STL VEHICLE SPECIFIC GUTTER BRACKET

SKU Q-15X

FEATURES

- Vehicle specific gutter mount brackets for Full Light Bars
- Set includes 2 mounting brackets
- Available models:
 - ◊ Q-150: Dodge Charger
 - ◊ Q-151: Chevrolet Tahoe, Suburban, Avalanche
 - ◊ Q-152: Ford Crown Victoria
 - ◊ Q-153: Ford Explorer
 - ◊ Q-154: Dodge Durango, Dakota / Jeep Cherokee
 - ◊ Q-155: Chevrolet Impala
 - ◊ Q-156: Ford F-Series
 - ◊ Q-157: Ford Expedition
 - ◊ Q-158: Ford Interceptor Sedan



WWW.SPEEDTECHLIGHTS.COM

STL INTELLISIREN CONSOLE BRACKET

SKU Q-ISHAVIS

DIMENSIONS 8.75" L X 4" H

FEATURES

- Designed by Havis
- Fits the STL IntelliSiren faceplate
- Compatible with all Havis Consoles
- 4" mounting space



STL APEX CONSOLE BRACKET

SKU Q-AHAVIS

DIMENSIONS 8.75" L X 4" H

FEATURES

- Designed by Havis
- Fits the STL Apex faceplate
- Compatible with all Havis Consoles
- 4" mounting space



STL BOSS/FINAL CONSOLE BRACKET

SKU Q-BFHAVIS

DIMENSIONS 8.75" L X 2.5" H

FEATURES

- Designed by Havis
- Fits the STL Boss & STL Final faceplates
- Compatible with all Havis Consoles
- 2.5" mounting space



STL SUPREME II CONTROL CONSOLE BRACKET

SKU Q-S2HAVIS

DIMENSIONS 8.75" L X 4" H

FEATURES

- Designed by Havis
- Fits the STL Supreme II Control Switch Box
- Compatible with all Havis Consoles
- 4" mounting space



STL DIRECT II CONTROL CONSOLE BRACKET

SKU Q-D2HAVIS

DIMENSIONS 8.75" L X 3" H

FEATURES

- Designed by Havis
- Fits the STL Direct II Control Switch Box
- Compatible with all Havis Consoles
- 3" mounting space



STL GRANDIRECT CONTROL CONSOLE BRACKET

SKU Q-GDHAVIS

DIMENSIONS 8.75" L X 3" H

FEATURES

- Designed by Havis
- Fits the STL Grandirect Control Switch Box
- Compatible with all Havis Consoles
- 3" mounting space



1.800.757.2581

SHOP WITH CONFIDENCE® AT
SPEEDTECH LIGHTS®



TRUST IS EARNED®