



STL Split Eclipse

SUMMARY:

With **3-watt take-downs and 1-watt LEDs**, the Split Eclipse® floods your field of vision with the highest light output, blinding violators and eliminating the need for full light take-down and alleys.

- Powered by 12V
- 24 Generation III 1-watt LEDs
- TIR optics
- 15 available flash patterns
- Non-volatile memory recalls last flash pattern
- 6 Generation III 3-watt LED take-downs
- Flashing TD functionality
- Take-down lights steady burn or flash
- Sleek, durable casing
- Lifespan of up to 100,000 hours
- Anti-glare coating on outer lens
- Includes STL Grand Control
- Allows for 2nd memory functionality
- Includes universal brackets
- Includes windshield reflector
- Includes 13 feet of cable to switch box and 8 feet of power cable
- Dimensions of each unit (pair): 17" L x 1.5" H x 6.75" D
- 7 day money back guarantee
- 2 year warranty*

*Please test **all** products prior to installation to ensure proper function.

*Please note: Per the limited warranty, accurate installation of STL products requires the installer to have a good understanding of automotive electronics, procedures, and systems. STL products are of professional grade and professional installation is highly encouraged.

Instruction Manual:

STL Grand Control Box

1. The STL Grand Control box will feature three buttons; ON/OFF/ON (dual memory warning), Pattern changer, and ON/OFF/ON Takedown Lights.
2. The Takedown Lights will feature a steady burn and an independent single flash pattern and will flash with the light bar when TD switch is in the off position.
3. Unlike the P&P STL switch boxes, the STL Grand Control box can be removed from the lighting system to consolidate into an existing lighting set up.

STL Split Eclipse Universal Mounts

4. The STL Split Eclipse will feature four sets of brackets for mounting to the headliner of the vehicle. Please know that these mounts are designed as universal mounts to mount directly to the headliner. Though they are made as headliner brackets some make and models may be able to utilize the factory visor holes for a non-intrusive installation method. For this type of application please consult with your installer for the best mounting solution for your vehicle.
5. There will be two different styles of brackets when mounting the Split Eclipse. The Wider set of brackets will attach to the inner most predrilled holes of each underside of the Split Eclipse with the narrow brackets mounting on the outside. The adjustable bracket for each style will be as shown below in the photos.

