




SPEEDTECH LIGHTS®
LIGHTING THE WAY®




2020 CATALOG
WWW.SPEEDTECHLIGHTS.COM

TABLE OF CONTENTS

- 3 ABOUT
- 5 VISOR LIGHT BARS
- 6 DECK/DASH LIGHTS
- 8 TRAFFIC ADVISORS
- 10 GRILLE/SURFACE MOUNTS
- 13 HIDEAWAY/SURFACE MOUNTS
- 14 RUNNING BOARD LIGHTS
- 15 BEACONS
- 16 MINI LIGHT BARS
- 18 FULL LIGHT BARS
- 20 TOW LIGHT BARS
- 22 OFF ROAD/WORK LIGHTS
- 28 SIRENS
- 30 SPEAKERS
- 31 FLASHLIGHTS
- 32 ROADSIDE SAFETY
- 34 SWITCH BOXES
- 38 MOUNTING BRACKETS



STL ECLIPSE[®] OPTIC TECHNOLOGY




ECLIPSE[®] TIR OPTICS:

TIR Optics produce a highly concentrated beam of light for each individual LED creating a layering of light output as a result. This allows the TIR Optics to offer performance with fewer LEDs per module and a more precise focal output.

Specs:

- 70° horizontal spread
- 20° vertical spread




ECLIPSE[®] LINEAR OPTICS:

Linear Optics produce a wide broad beam of light for each LED module. With a powerful group magnification system, Linear Optics create ultra-wide light dispersal, allowing for greater off-axis visibility.

Specs:

- 110° horizontal spread
- 20° vertical spread



OUR MISSION:

Provide the most reliable and affordable warning lights and equipment, delivered fast with the highest level of service.

OPTIONAL MULTICOLOR UPGRADES



MultiColor upgrades are optional features available for select STL Light Bars. These upgrades enhance standard Light Bar functions, and can add additional functionality to your Light Bar. There are 2 types of MultiColor upgrades:

SUPER TAKE DOWN UPGRADE



The Super Take Down upgrade converts all forward facing LED modules into MultiColor LED modules. This upgrade retains your Light Bar's standard warning and Take Down functions (as shown above). Additionally, each MultiColor LED module activates steady burn Clear while Super Take Down mode is active.

TRAFFIC ADVISOR UPGRADE



The Traffic Advisor upgrade converts all Traffic Advisor LED modules into MultiColor LED modules. Each module flashes Amber while directional patterns are active or your select color while warning patterns are active. This ensures the proper signal is sent for the task at hand.

AVAILABLE CARBINE OPTICS



The STL Carbine Series offers 3 options for Optics. These available options include:

FLOODLIGHT OPTICS



Floodlight Optics provide a wider spread of light to better illuminate nearby areas.

SPOTLIGHT OPTICS



Spotlight Optics provide a narrower spread of light to better illuminate distant objects.

HYBRID OPTICS



Hybrid Optics are comprised of both Floodlight & Spotlight Optics, providing a balance in light spread.

STL RAPTOR-X TIR

SKU B-RTX8
DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D
AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 32 3-Watt LEDs
- 24 available flash patterns
- Built-in windshield reflector visor
- Optional Cigarette Plug with Control Switches (p. 37)



STL RAPTOR-X LINEAR

SKU B-RLX8
DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D
AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 32 3-Watt LEDs
- 24 available flash patterns
- Built-in windshield reflector visor
- Optional Cigarette Plug with Control Switches (p. 37)



STL RAPTOR TIR

SKU B-RT10
DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D
AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 29 available flash patterns
- Take down light functionality
- Built-in windshield reflector visor
- Optional STL Grand Control Switch Box (p. 36)



STL RAPTOR LINEAR

SKU B-RL10
DIMENSIONS PER SIDE 18" L x 1.2" H x 5.3" D
AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 40 3-Watt LEDs
- 29 available flash patterns
- Take down light functionality
- Built-in windshield reflector visor
- Optional STL Grand Control Switch Box (p. 36)



STL STRIKER-1

SKU B-STT1

DIMENSIONS 4.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 4 3-Watt LEDs
- 11 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL STRIKER-2

SKU B-STT2

DIMENSIONS 8.25" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 8 3-Watt LEDs
- 22 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL STRIKER-4


SKU B-STT4

DIMENSIONS 16.25" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 16 3-Watt LEDs
- 30 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL VIRTUE-1


SKU B-VRL1

DIMENSIONS 4.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 6 3-Watt LEDs
- 11 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL VIRTUE-2

SKU B-VRL2

DIMENSIONS 8.25" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 12 3-Watt LEDs
- 22 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL VIRTUE-4

SKU B-VRL4

DIMENSIONS 16.25" L x 1.25" H x 2.25" D

AVAILABLE COLORS 

FEATURES

- Eclipse Linear optics
- 24 3-Watt LEDs
- 30 available flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional Cigarette Plug with Control Switches (p. 37)



STL STRIKER-6

SKU D-STT6

DIMENSIONS 24.9" L x 1.25" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 29 available warning flash patterns
- 13 available directional flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional STL Direct Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL STRIKER-8

SKU D-STT8

DIMENSIONS 33.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 32 3-Watt LEDs
- 29 available warning flash patterns
- 13 available directional flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional STL Direct Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL DART

SKU D-DRT16

DIMENSIONS 33" L x 16" H x 3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 48 3-Watt LEDs
- 29 available warning flash patterns
- 18 available directional flash patterns
- Optional STL Direct Control Switch Box (p. 36)



STL VIRTUE-6

SKU D-VRL6

DIMENSIONS 24.9" L x 1.25" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 36 3-Watt LEDs
- 29 available warning flash patterns
- 13 available directional flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional STL Direct Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL VIRTUE-8

SKU D-VRL8

DIMENSIONS 33.1" L x 1.25" H x 2.25" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 48 3-Watt LEDs
- 29 available warning flash patterns
- 13 available directional flash patterns
- Optional Windshield Reflector Visor (p. 40)
- Optional STL Direct Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL Z-3 TIR

SKU G-TZ3
DIMENSIONS 3.2" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES

- Eclipse TIR optics
- 3 3-Watt LEDs
- 13 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-4 TIR

SKU G-TZ4
DIMENSIONS 3.9" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES

- Eclipse TIR optics
- 4 3-Watt LEDs
- 20 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-6 TIR

SKU G-TZ6
DIMENSIONS 5.2" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES

- Eclipse TIR optics
- 6 3-Watt LEDs
- 20 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-180 TIR

SKU G-TZ180
DIMENSIONS 4.5" L x 1.2" H x 1.5" D
AVAILABLE COLORS 
FEATURES


- Eclipse TIR optics
- 6 3-Watt LEDs
- 20 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-3 LINEAR

SKU G-LZ3
DIMENSIONS 3.2" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES


- Eclipse Linear optics
- 3 3-Watt LEDs
- 13 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-4 LINEAR

SKU G-LZ4
DIMENSIONS 3.9" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES


- Eclipse Linear optics
- 4 3-Watt LEDs
- 20 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL Z-6 LINEAR

SKU G-LZ6
DIMENSIONS 5.2" L x 1.2" H x .6" D
AVAILABLE COLORS 
FEATURES


- Eclipse Linear optics
- 6 3-Watt LEDs
- 20 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL HALF OCTO

SKU G-HOT4
DIMENSIONS 7.4" L x 2.1" H x 2.25" D
AVAILABLE COLORS 
FEATURES

- Eclipse TIR optics
- 12 3-Watt LEDs
- 27 available flash patterns
- Weatherproof housing



STL ALPHA-Z 7X3

SKU G-A7X3

DIMENSIONS 7.6" L x 3.6"H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 12 3-Watt LEDs
- 31 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL ALPHA-Z 6X4

SKU G-A6X4

DIMENSIONS 7.1" L x 4.6"H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 18 3-Watt LEDs
- 31 available flash patterns
- Built-in sync capability
- Weatherproof housing



STL ALPHA-Z 7X9


SKU G-A7X9

DIMENSIONS 9.25" L x 7.75"H x .6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 30 3-Watt LEDs
- 31 available flash patterns
- Built-in sync capability
- Weatherproof housing




STL ALPHA-Z SERIES LENS COVER

SKU P-A7X3LENS / P-A6X4LENS / P-A7X9LENS

AVAILABLE COLORS

FEATURES

- Colored lens cover for the STL Alpha-Z Series
- Replaces default clear lens cover
- Available for all Alpha-Z Series units



WWW.SPEEDTECHLIGHTS.COM

STL FLARE-X

SKU K-FX1

DIMENSIONS 1.06" Base Diameter x 1" Height

AVAILABLE COLORS

FEATURES

- 1 3-Watt LED
- Steady burn functionality



STL FLARE-6 360°

SKU K-F6360

DIMENSIONS 1.6" Base Diameter x 1" Height

AVAILABLE COLORS

FEATURES

- 6 optics in 360° configuration
- 6 3-Watt LEDs
- 34 available flash patterns
- Built-in sync capability



STL FLARE-12

SKU K-F12

DIMENSIONS 1.5" Base Diameter x .75" Height

AVAILABLE COLORS

FEATURES

- 12 3-Watt LEDs
- 34 available flash patterns
- Built-in sync capability



1.800.757.2581

STL CEPTOR-X

SKU B-CTX4

DIMENSIONS 60" L x 1.1" H x 2" D

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 48 3-Watt LEDs
- Weatherproof housing
- Optional STL Grand Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
SUPER TAKE DOWN 

STL CEPTOR

SKU B-CT6

DIMENSIONS 60" L x 1.1" H x 2" D



AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 72 3-Watt LEDs
- Weatherproof housing
- Optional STL Grand Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
SUPER TAKE DOWN 



STL DOME

SKU Y-DMBM12 / Y-DMB12

DIMENSIONS 6.5" Base Diameter x 5.4" Height

AVAILABLE COLORS 

FEATURES

- 12 3-Watt LEDs
- 29 available flash patterns
- Built-in sync capability
- Weatherproof housing
- Offered in 2 variants:
 - ◊ Y-DMBM12: With magnetic base for mounting
 - ◊ Y-DMB12: Without magnets
- Optional Cigarette Plug with Control Switches (p. 37)



STL OCTO

SKU M-OT8

DIMENSIONS 6" Base Diameter x 3" Height

AVAILABLE COLORS 

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 32 available flash patterns
- Weatherproof housing
- Includes magnetic base for mounting
- Optional Cigarette Plug with Control Switches (p. 37)



STL K-FORCE MICRO 14" TIR

SKU M-TKFM14

DIMENSIONS 13.2" L x 3" H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 30 available flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 37)



STL K-FORCE MICRO 21" TIR

SKU M-TKFM21

DIMENSIONS 21.9" L x 3" H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 available flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 36)



STL K-FORCE 18" TIR

SKU M-TKF18

DIMENSIONS 18" L x 2.75"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 available flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 37)



STL K-FORCE 27" TIR

SKU M-TKF27

DIMENSIONS 27.5" L x 2.75"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 56 3-Watt LEDs
- 30 available flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 36)



STL K-FORCE MICRO 14" LINEAR

SKU M-LKFM14

DIMENSIONS 13.2" L x 3" H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 36 3-Watt LEDs
- 30 available flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 37)



STL K-FORCE MICRO 21" LINEAR

SKU M-LKFM21

DIMENSIONS 21.9" L x 3" H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 60 3-Watt LEDs
- 30 available flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 36)



STL K-FORCE 18" LINEAR

SKU M-LKF18

DIMENSIONS 18" L x 2.75"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 60 3-Watt LEDs
- 30 available flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 37)



STL K-FORCE 27" LINEAR

SKU M-LKF27

DIMENSIONS 27.5" L x 2.75"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 84 3-Watt LEDs
- 30 available flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 36)



STL K-FORCE 36" TIR

SKU F-TKF36

DIMENSIONS 36" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 72 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 47" TIR

SKU F-TKF47

DIMENSIONS 46.25" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 55" TIR

SKU F-TKF55

DIMENSIONS 55.1" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 63" TIR

SKU F-TKF63

DIMENSIONS 64.5" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 36" LINEAR

SKU F-LKF36

DIMENSIONS 36" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 108 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 47" LINEAR

SKU F-LKF47

DIMENSIONS 46.25" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 132 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 55" LINEAR

SKU F-LKF55

DIMENSIONS 55.1" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 156 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 71" TIR

SKU F-TKF71

DIMENSIONS 74.1" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 136 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE MICRO 50" TIR

SKU F-TKFM50

DIMENSIONS 49" L x 3.6"H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE MICRO 50" LINEAR

SKU F-LKFM50

DIMENSIONS 49" L x 3.6"H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 132 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE MICRO 50" TIR Tow

SKU F-TKFMTO50

DIMENSIONS 49" L x 3.6"H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE MICRO 50" LINEAR Tow

SKU F-LKFMTO50

DIMENSIONS 49" L x 3.6"H x 6" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 132 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 55" TIR Tow

SKU F-TKFTOW55

DIMENSIONS 55.1" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 55" LINEAR Tow

SKU F-LKFTOW55

DIMENSIONS 55.1" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse Linear optics
- 156 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR

STL K-FORCE 63" TIR Tow

SKU F-TKFTOW63

DIMENSIONS 64.5" L x 3.6"H x 11.3" D

AVAILABLE COLORS

FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 33 available warning flash patterns
- 3 available directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 36)



OPTIONAL MULTICOLOR UPGRADE
TRAFFIC ADVISOR



STL CARBINE 5"

- SKU W-C5F
 DIMENSIONS 5.5" L x 2.15" H x 2.25" D
 AVAILABLE COLORS
 FEATURES
- 3 5-Watt LEDs
 - 1,500 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE 12"

- SKU W-C12F
 DIMENSIONS 11.5" L x 2.15" H x 2.25" D
 AVAILABLE COLORS
 FEATURES
- 9 5-Watt LEDs
 - 4,500 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE 18"

- SKU W-C18
 DIMENSIONS 18" L x 2.15" H x 2.25" D
 AVAILABLE COLORS
 FEATURES
- 15 5-Watt LEDs
 - 7,500 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL DUAL CARBINE 5"

- SKU W-DC5F
 DIMENSIONS 4.75" L x 3.15" H x 3.25" D
 AVAILABLE COLORS
 FEATURES
- 6 3-Watt LEDs
 - 1,320 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL DUAL CARBINE 8"

- SKU W-DC8F
 DIMENSIONS 8" L x 3.15" H x 3.25" D
 AVAILABLE COLORS
 FEATURES
- 12 3-Watt LEDs
 - 2,640 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL DUAL CARBINE 11"

- SKU W-DC11
 DIMENSIONS 11" L x 3.15" H x 3.25" D
 AVAILABLE COLORS
 FEATURES
- 18 3-Watt LEDs
 - 3,960 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL DUAL CARBINE 20"

- SKU W-DC20
 DIMENSIONS 20" L x 3.15" H x 3.25" D
 AVAILABLE COLORS
 FEATURES
- 36 3-Watt LEDs
 - 7,920 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL DUAL CARBINE 30"

- SKU W-DC30
 DIMENSIONS 30" L x 3.15" H x 3.25" D
 AVAILABLE COLORS
 FEATURES
- 54 3-Watt LEDs
 - 11,880 Lumens
 - Steady burn functionality
 - Weatherproof housing
 - Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT
HYBRID

STL DUAL CARBINE 50"

SKU W-DC50

DIMENSIONS 50" L x 3.15" H x 3.25" D

AVAILABLE COLORS

FEATURES

- 96 3-Watt LEDs
- 21,120 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT HYBRID

STL DUAL CARBINE 50" CURVED

SKU W-CDC50

DIMENSIONS 50" Arc Length x 3.15" Height x 3.25" Depth

AVAILABLE COLORS

FEATURES

- 96 3-Watt LEDs
- 21,120 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable L-shape end cap brackets



AVAILABLE CARBINE OPTICS
FLOODLIGHT HYBRID

STL CARBINE-X MINI

SKU W-CXF

DIMENSIONS 3.6" L x 2" H x .9" D

AVAILABLE COLORS

FEATURES

- 33 LEDs
- 726 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT

STL CARBINE 140°

SKU W-C140S

DIMENSIONS 3.6" L x 3" H x 2.75" D

AVAILABLE COLORS

FEATURES

- 15 1.5-Watt LEDs
- 2,850 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
SPOTLIGHT

STL QUAD CARBINE

SKU W-QC9

DIMENSIONS 3.5" L x 3.5" H x 2.5" D

AVAILABLE COLORS

FEATURES

- 9 3-Watt LEDs
- 1,980 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT HYBRID

STL QUAD CARBINE-16

SKU W-QC16

DIMENSIONS 4.8" L x 4.8" H x 1.9" D

AVAILABLE COLORS

FEATURES

- 16 1.5-Watt LEDs
- 3,040 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT SPOTLIGHT

STL CIRCLE CARBINE

SKU W-CC7

DIMENSIONS 4" L x 4" H x 2.5" D

AVAILABLE COLORS

FEATURES

- 7 3-Watt LEDs
- 1,540 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT HYBRID

STL CIRCLE CARBINE-14

SKU W-CC14

DIMENSIONS 6.5" L x 6.5" H x 1.9" D

AVAILABLE COLORS

FEATURES

- 14 3-Watt LEDs
- 3,080 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes adjustable mounting bracket



AVAILABLE CARBINE OPTICS
FLOODLIGHT HYBRID

STL CUBE CARBINE FLUSH MOUNT

SKU W-CUCF

DIMENSIONS 4.8" L x 3.6" H x 3.1" D

AVAILABLE COLORS

FEATURES

- 6 3-Watt LEDs
- 1,620 Lumens
- Steady burn functionality
- Weatherproof housing



STL Hex CARBINE FLUSH MOUNT

SKU W-HCF

DIMENSIONS 6.25" L x 3.4" H x 1.3" D

AVAILABLE COLORS

FEATURES

- 6 3-Watt LEDs
- 1,620 Lumens
- Steady burn functionality
- Weatherproof housing



STL Circle CARBINE FLUSH MOUNT

SKU W-CCF

DIMENSIONS 4.8" L x 4.8" H x 2.3" D

AVAILABLE COLORS

FEATURES

- 6 3-Watt LEDs
- 1,620 Lumens
- Steady burn functionality
- Weatherproof housing



STL CARBINE-Z FLUSH MOUNT

SKU W-CZF

DIMENSIONS 7.6" L x 2.5" H x 1.75" D

AVAILABLE COLORS

FEATURES

- 6 3-Watt LEDs
- 1,620 Lumens
- Steady burn functionality
- Weatherproof housing



STL Micro CARBINE

SKU W-MC3

DIMENSIONS 2.7" L x 1.5" H x .9" D

AVAILABLE COLORS

FEATURES

- 3 3-Watt LEDs
- 570 Lumens
- Steady burn functionality
- Weatherproof housing
- Includes flat & curved rubber mounting bases




STL CARBINE 12V RELAY

SKU P-12RELAY

FEATURES

- 12V relay harness
- 1 on/off switch rated for 60 amps
- Compatible with STL Carbine Series
- Optional Wireless Remote features flashing capability



STL CARBINE SERIES LENS COVER

AVAILABLE COLORS

FEATURES

- Colored lens cover for the STL Carbine Series
- Snaps over front of unit
- Available models:
 - ◊ P-CLENS
 - ◊ P-QCLENS
 - ◊ P-CLENS
 - ◊ P-DCLENS



STL PA

SKU S-HPA100

DIMENSIONS 5.5" L x 1.75" H x 3.25" D

FEATURES

- Amplifier output of 100-Watts
- Combined amplifier & controller unit
- PA & horn A/B functionality
- Includes microphone



STL MEGA

SKU S-MG100

DIMENSIONS 5.5" L x 1.75" H x 3.25" D

FEATURES

- Amplifier output of 100-Watts
- Combined amplifier & controller unit
- PA, siren, & horn A/B functionality
- Siren tones include: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
- Includes microphone



STL VIREO

SKU S-VR100

CONTROLLER DIMENSIONS 2.5" L x 5" H x .8" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- Amplifier output of 100-Watts
- PA, siren, & horn A/B functionality
- Siren tones include: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- HandHeld controller with built in mic



STL APEX

SKU S-AP100

CONTROLLER DIMENSIONS 5.75" L x 3.25" H x 1.5" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- Amplifier output of 100-Watts
- PA, siren, & horn A/B functionality
- Siren tones include: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Includes microphone



STL Boss

SKU S-BDT200

CONTROLLER DIMENSIONS 5.4" L x 2.55" H x 1.5" D

AMPLIFIER DIMENSIONS 8.5" L x 2.75" H x 5.75" D

FEATURES

- Amp output of 200-watts (for 2 100-Watt speakers)
- PA, siren, & horn A/B functionality
- Siren tones include: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Dual Tone function enables independent Siren Tones to output from each speaker
- Can also just function as a 100-watt siren with only a single speaker
- Includes microphone



STL INTELLISIREN

SKU IS-100

CONTROLLER DIMENSIONS 6.93" L x 3.2" H x 2.3" D

AMPLIFIER DIMENSIONS 9.1" L x 2.3" H x 5.7" D

FEATURES

- Amplifier output of 100-Watts
- PA, siren, & horn A/B functionality
- Siren tones: Wail, Yelp, Phaser, Hi-Lo
- Radio re-broadcast functionality
- Siren output overload protection
- Logic Inputs: Night Mode, Park Kill, Horn Ring, Ignition
- Max Total Input Current: 60 Amps
- Includes microphone




STL FINAL WP

SKU S-FWP100

FEATURES

- 100-Watt output
- Self-contained siren/speaker in one
- Weatherproof housing
- Multiple tones included



STL VIBE LOW FREQUENCY

SKU S-VLF

SPEAKER DIMENSIONS 8" Length x 7.8" Diameter

AMPLIFIER DIMENSIONS 5.25" L x 1.5" H x 6.3" D

FEATURES

- Amplifier output of 100-Watts
- 100-Watt speaker output
- Low frequency output generates tactile vibrations
- Speaker includes bracket for mounting
- Siren controller required (sold separately)



STL ICON SILVER 100-WATT SPEAKER

SKU A-IS100

DIMENSIONS 6.3" L x 6.75" H x 2.5" D

FEATURES

- 100-Watt speaker output
- 11 ohms
- 120 dB output
- Clear sound frequency
- Compact design
- Weatherproof housing
- Includes rotating bracket for mounting



STL ICON BLACK 100-WATT SPEAKER

SKU A-IB100

DIMENSIONS 6.3" L x 6.75" H x 2.5" D

FEATURES

- 100-Watt speaker output
- 11 ohms
- 120 dB output
- Clear sound frequency
- Compact design
- Weatherproof housing
- Includes rotating bracket for mounting




STL 100-WATT CONE SPEAKER

SKU A-C100

DIMENSIONS 6.3" L x 4.75" H x 7.25" D

FEATURES

- 100-Watt speaker output
- 11 ohms
- 120 dB output
- Clear sound frequency
- Weatherproof housing
- Includes flat bracket for mounting



STL ALTER-BEAM

SKU J-AB800

DIMENSIONS 8.5" Length x 1.5" Lamp Diameter x 1" Handle Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 800 Lumens
- Modes: High, Medium, Low, Strobe, SOS
- On/off push button also toggles modes
- Weatherproof housing
- Uses rechargeable Li-Ion 18650 or 123A batteries (sold separately)



STL TRIGGER-BEAM

SKU J-TB220

DIMENSIONS 5.7" Length x 1.35" Lamp Diameter x 1" Handle Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 220 Lumens
- Modes: High, Low, Strobe
- On/off push button also toggles modes
- Weatherproof housing
- Includes rechargeable Li-Ion 18650 battery
- Includes wall charger & portable car charger with charge status indicator



STL FOCAL-BEAM

SKU J-FB700

DIMENSIONS 5" Length x 1.25" Lamp Diameter x 1" Handle Diameter

AVAILABLE COLORS

FEATURES

- High power LED
- 700 Lumens
- Modes: High, Low, Strobe, SOS
- On/off push button also toggles modes
- Weatherproof housing
- Includes rechargeable Li-Ion 18650 battery
- Includes micro USB charger with charge status indicator



STL 20" COLLAPSIBLE TRAFFIC CONE

SKU CTC20

EXTENDED DIMENSIONS 9.6" L x 19.3" H x 9.6" D

COLLAPSED DIMENSIONS 9.6" L x 1.5" H x 9.6" D

FEATURES

- 20" Collapsible Traffic Cone
- Made from Polypropylene
- Weight: 1.05 pounds
- (2) Reflective strips at top of cone



STL 28" COLLAPSIBLE TRAFFIC CONE

SKU CTC28

EXTENDED DIMENSIONS 12" L x 27.7" H x 12" D

COLLAPSED DIMENSIONS 12" L x 1.5" H x 12" D

FEATURES

- 28" Collapsible Traffic Cone
- Made from Polypropylene
- Weight: 1.6 pounds
- (2) Reflective strips at top of cone



STL 3 PACK COLLAPSIBLE TRIANGULAR REFLECTORS

SKU CTT3

FEATURES

- Collapsible Triangular Traffic Safety Reflectors
- Made from Polypropylene
- Weight: 1.05 pounds
- Includes carrying case
- Reflective finish



STL 3 PACK 15-LED ROAD FLARES

SKU BL-2000C-3P

DIMENSIONS PER ROAD FLARE UNIT 4.3" L x 1.3" H x 4.3" D

AVAILABLE COLORS ■

FEATURES

- Red LED Road Flares
- 15 LEDs per Road Flare unit:
 - ◊ 12 Red LEDs for warning mode
 - ◊ 3 Clear LEDs for steady burn on top
- 8 available flash patterns
- Includes AAA Batteries
- Waterproof & floatable
- Magnetic base
- Power & flash pattern controls located on Road Flare units



STL 6 PACK 16-LED RECHARGEABLE ROAD FLARES

SKU BL-2000R-6P

DIMENSIONS PER ROAD FLARE UNIT 4.25" L x 1.5" H x 4.25" D

AVAILABLE COLORS ■

FEATURES

- Rechargeable Red LED Road Flares
- 16 LEDs per Road Flare unit
- 9 available flash patterns
- Includes carrying case/charger
- Carrying case can charge all 6 Road Flare units together
- Waterproof & floatable
- Magnetic base
- Power & flash pattern controls located on Road Flare units



STL SINGLE SWITCH PLATE

SKU P-301

DIMENSIONS 1.5" L x 2.3" H x 1.4" D

FEATURES

- 1 on/off toggle switch rated for 15 amps
- LED backlit switch
- L-shape body for mounting
- Compatible with STL & 3rd party units



STL DOUBLE SWITCH PLATE

SKU P-302 / P-305

DIMENSIONS 3" L x 2.3" H x 1.4" D

FEATURES

- 2 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Compatible with STL & 3rd party units
- Offered in 2 variants:
 - ◊ P-302: Power variant features 2 on/off switches
 - ◊ P-305: Combo variant features 1 on/off toggle & 1 momentary switch



STL TRIPLE SWITCH PLATE

SKU P-303 / P-306

DIMENSIONS 3.8" L x 2.3" H x 1.4" D

FEATURES

- 3 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Compatible with STL & 3rd party units
- Offered in 2 variants:
 - ◊ P-303: Power variant features 3 on/off toggle switches
 - ◊ P-306: Combo variant features 2 on/off toggle & 1 momentary switch



STL QUAD SWITCH PLATE

SKU P-304 / P-307

DIMENSIONS 4.75" L x 2.3" H x 1.4" D

FEATURES

- 4 switches rated for 15 amps each
- LED backlit switches
- L-shape body for mounting
- Compatible with STL & 3rd party units
- Offered in 2 variants:
 - ◊ P-304: Power variant features 4 on/off switches
 - ◊ P-307: Combo variant features 2 on/off toggle & 2 momentary switches



STL 3 SWITCH BOX

SKU C-3SB

DIMENSIONS 5.1" L x 1.5" H x 3.25" D

FEATURES

- 3 switches rated for 15 amps each:
 - ◊ 2 on/off toggle switches (A/B)
 - ◊ 1 momentary switch (C)
- LED backlit switches
- Compatible with STL & 3rd party units
- Includes U-shape bracket for mounting



STL 4 SWITCH BOX

SKU C-4SB

DIMENSIONS 5.1" L x 1.5" H x 3.25" D

FEATURES

- 4 switches rated for 15 amps each:
 - ◊ 3 on/off toggle switches (A/B/C)
 - ◊ 1 momentary switch (D)
- LED backlit switches
- Compatible with STL & 3rd party units
- Includes U-shape bracket for mounting



STL 5 SWITCH BOX

SKU C-5SB

DIMENSIONS 5.1" L x 1.5" H x 3.25" D

FEATURES

- 5 switches rated for 15 amps each:
 - ◊ 4 on/off toggle switches (A/B/C/D)
 - ◊ 1 momentary switch (E)
- LED backlit switches
- Compatible with STL & 3rd party units
- Includes U-shape bracket for mounting



STL 6 SWITCH BOX

SKU C-6SB

DIMENSIONS 5.1" L x 1.5" H x 3.25" D

FEATURES

- 6 switches rated for 15 amps each:
 - ◊ 5 on/off toggle switches (A/B/C/D/E)
 - ◊ 1 momentary switch (F)
- LED backlit switches
- Compatible with STL & 3rd party units
- Includes U-shape bracket for mounting



STL GRAND CONTROL

SKU C-GCB / C-GCBSTD / C-GCBMC

DIMENSIONS 2.5" L x 3.1" H x .8" D

FEATURES

- Compatible with STL products
- Power & flash pattern control
- Take down control
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Available in multiple variants



STL DIRECT CONTROL

SKU C-DCB

DIMENSIONS 4.3" L x 2.5" H x 1.5" D

FEATURES

- Compatible with STL products
- Power & flash pattern control
- Directional pattern control
- 2-position flash pattern speed control
- Auxiliary switch rated for 10 amps
- LED backlit buttons



STL GRANDIRECT CONTROL

SKU C-GDCB / C-GDCBSTD / C-GDCBMC

DIMENSIONS 6" L x 2.6" H x 1.4" D

FEATURES

- Compatible with STL products
- Combination of Grand & Direct Control
- 2 independent power & flash pattern controls
- Directional pattern control
- Take down control
- 2-position flash pattern speed control
- 2 auxiliary switches rated for 10 amps each
- LED backlit buttons
- Available in multiple variants



STL SUPREME CONTROL

SKU C-SUPCB / C-SUPSTD / C-SUPMC

DIMENSIONS 6.5" L x 3.1" H x 1.1" D

FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Available in multiple variants



STL CIGARETTE PLUG WITH SWITCHES

SKU C-CLP

DIMENSIONS 1.5" L x 1.1" H x 3.75" D

FEATURES

- Compatible with STL & 3rd party units
- Rated for 10 amps
- On/off toggle switch for power
- Momentary switch for flash pattern cycle
- Fits all vehicles



STL 3 SOCKET CIGARETTE PLUG SPLITTER

SKU C-3SCPS

DIMENSIONS 3.5" L x 1.3" H x 3" D

FEATURES

- Compatible with STL & 3rd party units
- 3 cigarette plug splitter
- 10 amps capacity per plug
- LED indicator for on/off
- Labels on switch: A/B/C



STL WIRELESS REMOTE SWITCH BOX

SKU C-RSB

REMOTE CONTROLLER DIMENSIONS 1.5" L x 3.25" H x .5" D

POWER SUPPLY DIMENSIONS 3.75" L x 1" H x 2.25" D

FEATURES

- Compatible with STL & 3rd party units
- 6 switches rated for 10 amps each
- Allows for on/off or flash pattern control
- Allows for master power control
- Range of up to 100 feet
- Includes 1 remote key fob controller



STL HANDHELD SUPREME CONTROL

SKU C-SUPHH / C-SUPHHSTD / C-SUPHHMC

DIMENSIONS 2.5" L x 4.5" H x .75" D

FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Available in multiple variants



STL DIRECT CONTROL CONSOLE BRACKET

SKU Q-DCHAVIS

DIMENSIONS 8.75" L x 3" H

FEATURES

- Designed by Havis
- Compatible with the STL Direct Control
- Fits all Havis Consoles
- 3" mounting space



STL GRANDIRECT CONTROL CONSOLE BRACKET

SKU Q-GDCHAVIS

DIMENSIONS 8.75" L x 4" H

FEATURES

- Designed by Havis
- Compatible with the STL Grandirect Control
- Fits all Havis Consoles
- 4" mounting space



STL SUPREME CONTROL CONSOLE BRACKET

SKU Q-SCHAVIS

DIMENSIONS 8.75" L x 4" H

FEATURES

- Designed by Havis
- Compatible with the STL Supreme Control
- Fits all Havis Consoles
- 4" mounting space




STL RAPTOR SERIES VISOR BRACKETS

SKU Q-30_

FEATURES

- Vehicle specific mounting brackets for STL Visor Light Bars
- Available models:
 - ◊ Q-300: Chevy Tahoe (2015+)
 - ◊ Q-301: Chevy Tahoe (2007-2014)
 - ◊ Q-302: Dodge Charger (2011+)
 - ◊ Q-303: Dodge Ram (2015+)
 - ◊ Q-304: Ford Explorer (2011+)
 - ◊ Q-305: Ford F-150 (2015+)
 - ◊ Q-306: Ford Taurus (2011+)
 - ◊ Q-307: Universal Bracket



WWW.SPEEDTECHLIGHTS.COM

STL BOSS CONSOLE BRACKET

SKU Q-BHAVIS

DIMENSIONS 8.75" L x 3" H

FEATURES

- Designed by Havis
- Compatible with the STL Boss Siren
- Fits all Havis Consoles
- 3" mounting space




STL APEX CONSOLE BRACKET

SKU Q-AHAVIS

DIMENSIONS 8.75" L x 4" H

FEATURES

- Designed by Havis
- Compatible with the STL Apex Siren
- Fits all Havis Consoles
- 4" mounting space



STL INTELLISIREN CONSOLE BRACKET

SKU Q-ISHAVIS

DIMENSIONS 8.75" L x 4" H

FEATURES

- Designed by Havis
- Compatible with the STL IntelliSiren
- Fits all Havis Consoles
- 4" mounting space




STL FULL LIGHT BAR GUTTER BRACKETS

SKU Q-LB_

FEATURES

- Vehicle specific gutter mount brackets for STL Full Light Bars
- Set includes pair of brackets
- Available models:
 - ◊ Q-UGB: Universal
 - ◊ Q-LBC: Dodge Charger
 - ◊ Q-LBTA: Chevrolet Tahoe, Suburban, Avalanche
 - ◊ Q-LBCV: Ford Crown Victoria
 - ◊ Q-LBE: Ford Explorer
 - ◊ Q-LBDDC: Dodge Durango, Dakota & Jeep Cherokee
 - ◊ Q-LBI: Chevrolet Impala
 - ◊ Q-LBF: Ford F-Series
 - ◊ Q-LBEX: Ford Expedition
 - ◊ Q-LBFI: Ford Interceptor Sedan



1.800.757.2581

STL 90° SUCTION CUP BRACKET

SKU Q-90SC

FEATURES

- Adjustable suction cup bracket
- 90° windshield mount capability
- Set includes bracket with 3 rubber suction cups



STL 360° SUCTION CUP & L BRACKETS

SKU Q-360B

FEATURES

- Suction cup & L-shape bracket in one
- 360° windshield or dash mount capability
- Set includes pair of brackets with 4 rubber suction cups



STL SURFACE MOUNT END CAPS

SKU Q-SMEC

FEATURES

- Surface mount brackets
- Compatible with STL Striker & Virtue Series
- Set includes pair of end cap brackets



STL STRIKER/VIRTUE SERIES WINDSHIELD VISOR

SKU Q-SV_VISOR

FEATURES

- Compatible with STL Striker & Virtue Series
- Mitigates light from reflecting internally off windshield
- Available models:
 - ◊ Q-SV1VISOR
 - ◊ Q-SV2VISOR
 - ◊ Q-SV4VISOR
 - ◊ Q-SV6VISOR
 - ◊ Q-SV8VISOR




STL HALF OCTO BRACKET

SKU Q-HOB

DIMENSIONS 7.6" L x 2.5" H x 1.5" D

FEATURES

- L-shape bracket
- Compatible with the STL Half Octo



STL PERMANENT STUD MOUNT LIGHT BAR BRACKET

SKU Q-LBPM

FEATURES

- Stud mount bracket
- Perfect for mounting STL Mini & Full Light Bars



STL HEADACHE RACK LIGHT BAR BRACKET

SKU Q-LBHRMB

FEATURES

- Headache rack bracket
- Perfect for mounting STL Mini & Full Light Bars



STL CARBINE SERIES LOWER WINDSHIELD BRACKETS FOR JEEP WRANGLER JK

SKU Q-JEEPLW2P

FEATURES

- Jeep Wrangler JK lower windshield mounting brackets
- Compatible with STL Carbine Series units that include stud mounts
- Set includes pair of brackets



STL CARBINE SERIES 50" LIGHT BAR BRACKETS

FEATURES

- Compatible with STL Carbine Series 50" units
- Set includes pair of brackets
- Available models:
 - ◊ Q-FORD50: Ford F-150 50" straight Carbine brackets
 - ◊ Q-FORDR50: Ford Raptor 50" straight Carbine brackets
 - ◊ Q-JEEP50: Jeep Wrangler JK 50" Carbine brackets
 - ◊ Q-JEEP502X: Jeep Wrangler JK Double 50" Carbine brackets
 - ◊ Q-JEEP50S: Jeep Wrangler JK 50" Carbine brackets with lower windshield mounts



STL STATIC HEADLINER BRACKET

SKU Q-STHB

DIMENSIONS 4.75" L x 1.75" H x 7" D

FEATURES

- L-shape bracket
- Attaches to headliner of vehicle
- Perfect for mounting dash lights, grille lights, or individual LED units



STL ADJUSTABLE HEADLINER BRACKET

SKU Q-ADHB

DIMENSIONS 3.5" L x 1.75" H x 7.5" D

FEATURES

- Adjustable L-shape bracket
- Attaches to headliner of vehicle
- Perfect for mounting dash lights, grille lights, or individual LED units



STL SINGLE STATIC BRACKET

SKU Q-SSTB

DIMENSIONS 5" L x 1.25" H x 1.25" D

FEATURES

- L-shape bracket
- Compatible with STL Z Series



STL DUAL STATIC HORIZONTAL BRACKET

SKU Q-DSTHB

DIMENSIONS 10" L x 1.25" H x 1.25" D

FEATURES

- L-shape bracket
- Compatible with STL Z Series




STL DUAL STATIC VERTICAL BRACKET

SKU Q-DSTVB

DIMENSIONS 5" L x 2.25" H x 1.25" D

FEATURES

- L-shape bracket
- Compatible with STL Z Series



STL LICENSE PLATE BRACKET

SKU Q-LPB

HORIZONTAL SETUP DIMENSIONS 15" L x 1.5" H x .75" D

VERTICAL SETUP DIMENSIONS 15" L x 5" H x .75" D

FEATURES

- Rear/front license plate bracket
- Compatible with STL Z Series
- Allows for vertical or horizontal mounting




STL FLARE SERIES SURFACE MOUNT FLANGE

SKU Q-SFFLANGE / Q-BFFLANGE

AVAILABLE COATINGS

FEATURES

- Silver or black flange
- Compatible with STL Flare Series



STL Z SERIES DOUBLE STACK SURFACE MOUNT FLANGE

SKU Q-Z3F / Q-Z4F / Q-Z6F

AVAILABLE COATINGS

FEATURES

- White, silver, or black double stack flange
- Compatible with STL Z Series
- Offered in 3 sizes:
 - ◊ Z-3 Flange dimensions: 3.5" L x 2.5" H x .5" D
 - ◊ Z-4 Flange dimensions: 4.25" L x 2.5" H x .5" D
 - ◊ Z-6 Flange dimensions: 5.25" L x 2.5" H x .5" D



STL CARBINE SERIES ANGLE SURFACE MOUNT FLANGE

FEATURES

- Angle surface mount flange
- Rubber material
- Available models:
 - ◊ W-HCFAP: for STL Hex Carbine Flush Mount
 - ◊ W-CZFAP: for STL Carbine-Z Flush Mount
 - ◊ W-CCFAP: for STL Circle Carbine Flush Mount





SPEEDTECH LIGHTS®

2809 BUSINESS PARK DRIVE
BUDA, TEXAS 78610
800.757.2581
www.SPEEDTECHLIGHTS.com

SHOP WITH CONFIDENCE®

TRUST IS EARNED®

